

Pollution Control Board, Assam
Head Office/ Regional Office.....

INSPECTION REPORT OF INDUSTRIES/ UNITS

1. Name and complete postal address of the industry :
2. Contact person with Tel/ Fax/ E-mail :
3. Date of visit :
4. Name of official visiting the Unit :
5. Information about the Unit :
 - 5.1 Source of Water :
 - a) Drinking :
 - b) Other uses :
 - 5.2 Details of raw materials used :
 - 5.3 Details of products with capacity :
 - 5.4 Details designed capacity :
 - 5.5 About manufacturing process :
6. Water Consumption :
 - 6.1 Quantity of effluent treated and disposed :
 - 6.2 Details of outfall point :
 - 6.3 Details of receiving source :
 - 6.4 Status of ETP :
 - 6.5 Name of treatment units in the system :
 - 6.6 Adequacy of ETP (Adequate / Not Adequate) :

- 6.7 Operational status of ETP :**
- 6.8 Status of Consent order under Water Act, 1974 :**
- 7.0 Status of Emission Control System (ECS) :**
- 7.1 Name and functioning of emission control system (ECS) :**
- 7.2 Provision for Stack Monitoring arrangement :**
- 7.3 Adequacy of the ECS (Adequate/ Not adequate) :**
- 7.4 Operational Status :**
- 7.5 Status of Consent under Air Act, 1981 :**
- 8.0 Hazardous Waste Disposal :**
- 8.1 Daily generation, treatment, storage facilities & recovery :**
- 8.2 Type of Disposal facility :**
- 8.3 Status of Authorization under the Hazardous waste (Management & Handling) Rule, 1989 :**
- 8.4 Status of On-site Emergency Plan & its submission to PCBA :**
- 8.5 Status of Safety Report :**
- 8.6 Implementation of Public Liability Insurance Act. :**

9. **Applicability of Bio-Medical Waste :
Rules, 1998**

10. **Status of Water Cess Act :**

11. **Overall observation :**

12. **Recommendations in respect of :
specific actions to be taken by
PCBA against the Unit in regard to
Pollution Control measures
mentioned above.**

Date:

Signature :

Name :

Designation :