



pcba

Pollution Control Board:: Assam
Bamunimaidam; Guwahati-21

NOTICE

No. WB/G-1249/15-16/51

Dated Guwahati, the 04th Oct., 2017

Temporary Shutdown of Industrial Units located within 1 Km radius on both side of the Highway from Airport to Khanapara Junction and around 2 Km radius of Indira Gandhi Athletic Stadium, Sarusajai, Guwahati

In greater public interest and in view of maintaining Air Quality during the FIFA U-17 World Cup, 2017 to be held in Guwahati, the Pollution Control Board, Assam hereby directs all the industrial units located within 1 Km radius on both side of the Highway from Airport to Khanapara Junction and around 2 Km radius of Indira Gandhi Athletic Stadium, Sarusajai, Guwahati to temporary shutdown their operation from 12 Noon of preceding match day to mid night of every match days i.e. **08/10/2017; 11/10/2017; 14/10/2017; 17/10/2017 & 21/10/2017** as an additional preventive action.

This order is issued in exercise of power vested under Section 33(A) of the Water (Prevention & Control of Pollution) Act, 1974 and 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 as amended. Failing to comply with the Board directives will be liable to face legal actions under prevailing Acts & Rules in force.

Member Secretary

Memo No. WB/ G-1249/15-16/51-A

Dated Guwahati, the 04th Oct., 2017

Copy to:

- 1636
1. The Chairman, APDCL, Bijule Bhawan, Paltanbazar, Guwahati-781001 for kind information & necessary action.
 2. The Commissioner & Secretary, Department of Environment & Forests, Govt. of Assam, Dispur, Guwahati-06 for kind information.
 3. The Staff Officer to Chief Secretary to the Govt. of Assam, Dispur, Guwahati-06 for kind information of Chief Secretary.
 4. The Deputy Commissioner, Kamrup (M) district for information & necessary action.
 5. The Commissioner of Police, Guwahati City for information & necessary action. **He is also requested to extend necessary assistance to Regional Office, Guwahati, PCBA.**
 6. The Chief Env. Scientist, Central Laboratory, PCBA for information & necessary action.
 7. P.A. to the Chairman, PCBA for kind appraisal of the Hon'ble Chairman.
 8. The Addl. Chief Env. Engineer, Regional Office, Guwahati, PCBA for information & necessary action. **He is directed to keep strict vigil for proper compliance of the direction. He may seek necessary assistance from local police if situation demands.**
 9. The EITO, IT Section, Head Office, PCBA - Requested to upload the above mentioned Notice in the Board's Website.
 10. The Asstt. Manager (F&A) of the Board's Head Office, PCBA for information & necessary action.
 11. M/s. APS Advertising Pvt. Ltd., Guwahati-1 for information. They are requested to publish the '**NOTICE**' in the "**The Assam Tribune**", in all editions immediately (in minimum font size) on **05.10.2017** and submit the bill for necessary payment.

Member Secretary
