



Pollution Control Board, Assam
Bamunimaidam : Guwahati-21

No. WB/ G-1248/15-16/11

Dated Guwahati, the 15th Mar, 2016

Notification

In partial modification of the earlier office order issued vide No.WB/G-698/10-11/106 dtd. 03-04-2014, the officers of the Pollution Control Board, Assam are directed to submit/upload their inspection report of the industry accompanying Noise, Air and Water monitoring/ analysis report(s) of the Air/Water sample(s), if any, within 48 hrs. (two working days) to the Authority at Head Quarters, after completion of the inspection and receipt of the analysis report(s) of the samples as indicated above.

Please note that an officer can't inspect the same industry twice consecutively.

Sd/
Member-Secretary, i/c

Memo No. WB/ G-1248/15-16/11-A ²⁰¹⁶ Dated Guwahati, the 15th Mar, 2016.
Copy to:

1. Principal Secretary to the Govt. of Assam, Environment & Forests Department, Dispur, Guwahati for favour of kind information.
2. PA to the Chairman, PCBA for kind appraisal of the Hon'ble Chairman.
3. Chief Env. Engineer/ Chief Env. Scientist, PCBA for information & necessary action.
4. Addl. Chief Env. Engineer, PCBA for information & necessary action.
5. SEE/SES/EE/EES/AEE/AEES/AE/ES at PCBA Head Office for information & necessary action.
6. All Regional Officers, RO/RLO, PCBA at Guwahati/ Dibrugarh/ Golaghat/ Sivasagar/ Tezpur/ Bongaigaon/ Nagaon/ Silchar for information & necessary action.
- ✓ 7. Notice Board/ Website of PCBA.
8. All concerned for information & necessary action.


Member-Secretary, i/c