



Pollution Control Board, Assam
Bamunimaidam, Guwahati-21

NOTIFICATION

No. WB/G-1212/15-16/02

Dated Guwahati, the 05th Nov., 2015

In partial modification & in supersession of the Notification issued by the Board vide No. WB/G-753/11-12/161 dated 22.11.2012, it is hereby notified that in exercise of power conferred under Section 31(A) of Air (Prevention & Control of Pollution) Act, 1981 as amended till date, all the brick manufacturing units operating in the State of Assam are required to get their stack emission monitoring to be done by Board's Central Laboratory only. If any unit has to carry out stack emission monitoring under unavoidable circumstances from any competent agencies, specific prior permission is required from Head Office, PCBA. Any violation of this notification will invite action envisaged under law.

This comes into force with immediate effect.

Member Secretary (i/c)

Memo No. WB/G-1212/15-16/02-A,
Copy to:

Dated Guwahati, the 05th Nov., 2015

- 1876
1. P.A. to the Chairman, PCBA for kind appraisal of the Hon'ble Chairman.
 2. The Chief Env. Scientist, Central Laboratory, PCBA for information & necessary action.
 3. The Adtl. Chief Engineer, Zone-I/Zone-II, Head Office, PCBA for information & necessary action.
 4. The Sr. Env. Engineer, Zone-III/Zone-IV/Zone-V, Head Office, PCBA for information & necessary action.
 5. All Regional Heads of Pollution Control Board, Assam for information & necessary action.
 6. The Asstt. Manager (F&A), Head Office, PCBA for information & necessary action.
 7. M/s. APS Advertising Pvt. Ltd., Guwahati-1 for information and necessary action. They are requested to publish the 'Notice' in the "**Amar Asom**"; "**Dainik Janambhumi**" "**Dainik Jugasangha**" & "**The Assam Tribune**" in all editions immediately (in minimum font size) on **06.11.2015** and submit the bill for necessary payment. (copy of the Advertisement matter in Assamese, Bengali & English are enclosed).
 8. Notice Board & Website of Pollution Control Board, Assam.

Member Secretary (i/c)