

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
1030	05/01/2022	RIVER BRAHMAPUTRA AT DIBRUGARH, ASSAM	РСВА	8.1	2.4	610	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1031	05/01/2022	RIVER BRAHMAPUTRA AT PANDU, ASSAM	PCBA	8.6	2.2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1258	03/01/2022	RIVER JHANJI AT N.H. CROSSING JORHAT, ASSAM	PCBA	7.5	2.6	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1259	18/01/2022	RIVER DHANSIRI AT GOLAGHAT, ASSAM	PCBA	9.3	2.6	720	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1261	27/01/2022	RIVER SUBANSIRI AT GEREKAMUKH (BEFORE CONFL. WITH BRAH.), ASSAM	PCBA	8.9	2.6	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1262	03/01/2022	RIVER BRAHMAPUTRA AT NIMATIGHAT, ASSAM	PCBA	7.4	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1298	17/01/2022	RIVER DISANG AT GUNDAMGHAT, ASSAM	РСВА	7.5	2.4	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1299	05/01/2022	RIVER BRAHMAPUTRA AT JOGIJHOGA NEAR BRIDGE, ASSAM	PCBA	7.5	2.3	730	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1422	17/01/2022	RIVER BURHIDIHING AT MARGHERITA, ASSAM	PCBA	9.1	2.7	300	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1423	27/01/2022	RIVER BARAK AT PANCHAGRAM , ASSAM	РСВА	5.5	2.5	610	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1526	28/01/2022	RIVER BRAHMAPUTRA RIVER AT DHENUKHAPAHAR, ASSAM	РСВА	7.4	2.7	300	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



STN	Sampling Date	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
Code		Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
1527	03/01/2022	RIVER BHOGDOI AT JORHAT , ASSAM	РСВА	8.5	2.8	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1528	05/01/2022	RIVER BHARALU AT GUWAHATI, ASSAM	РСВА	0.4	37.4	3500	4400	DO (Not Satisfied) BOD-(Not-Satisfied) FC (Not-Satisfied) TC (Satisfied)	Not Satisfactory
1530	17/01/2022	RIVER DIGBOI AT LAKHIPATHER, RESERVE FOREST, DIGBOI	РСВА	2.6	3.6	720	1400	DO (Not Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1531	28/01/2022	RIVER MORA BHARALI AT TEZPUR, ASSAM	РСВА	4.5	3.6	300	1100	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
2058	27/01/2022	RIVER DISANG AT DILLIGHAT, DIBRUGARH DIST., ASSAM	РСВА	9.3	2.8	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2059	04/01/2022	RIVER KOLONG AT MARIGAON, ASSAM	PCBA	9.4	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2060	27/01/2022	MANAS RIVER AT NH-31 CROSSING, BARPETA, DISTRICT	РСВА	5.3	2.3	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2061	17/01/2022	RIVER KHARSANG B/C WITH BURIDIHING NEAR KHARSANG (ASSAM-ARUNANCHAL BORDER), ASSAM	РСВА	9.8	2.6	300	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2062	27/01/2022	RIVER BURHIDIHING NEAR DULIAJAN AT D/S, TINSUKIA,	РСВА	9.5	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2063	10/01/2022	RIVER JIA BHARALI NEAR BISWANATH CHARALI,	РСВА	6.8	2.6	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2064	19/01/2022	RIVER BRAHMAPUTRA AT CHANDRAPUR, GUWAHATI	РСВА	9.5	2.6	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2065	04/01/2022	RIVER PAGLDIA NEAR NALBARI TOWN, DIST. NALBARI, ASSAM	PCBA	9.6	2.4	600	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



STN	Sampling Date	Station Name Water Quality Criteria	Mon	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
Code			Agency	> 4.0 mg/l	< 3.0 mg/l		< 5000 MPN/100ml	Remarks	I illai Nelliaiks
2066	27/01/2022	RIVER BRAHMAPUTRA AT DHUBRI, ASSAM	РСВА	7.2	2.6	1100	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2067	04/01/2022	RIVER BRAHMPUTRA AT SUALKUCHI, DIST. KAMRUP	PCBA	8.9	2.7	360	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2068	27/01/2022	RIVER KATHAKAL U/S AT MATIJURI, DIST. HAILAKANDI	PCBA	5.9	2.6	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2069	19/01/2022	RIVER BRAHMAPUTRA NEAR WATER INTAKE PT. AT KACHARIGHAT	PCBA	8	2.7	910	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2228	18/01/2022	RIVER GELABEEL AT DERGAON, ASSAM	PCBA	8.8	2.2	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2229	05/01/2022	RIVER KUNDIL AT KUNDLI/ SAPAKHOWA, SADIA, ASSAM	PCBA	9.8	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2230	27/01/2022	RIVER BURHIDIHING AT DULIAJAN (INTAKE POINT OF OIL INDIA LTD.), ASSAM	PCBA	8	2.8	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2231	06/01/2022	RIVER DIKHOW AT DIKHOW BRIDGE SIVASAGAR, ASSAM	PCBA	7.6	2.4	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2232	18/01/2022	RIVER KOHORA AT N.H. CROSSING, KOHORA, ASSAM (BRAHMAPUTRA)	PCBA	5	2.8	600	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2233	10/01/2022	RIVER BOGINADI NEAR BRIDGE NH-52, LAKHIMPUR, ASSAM	РСВА	5.6	2.6	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2234	10/01/2022	RIVER RANGA NADI D/S OF HYDEL PROJECT, ASSAM	РСВА	5.8	2.7	610	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2235	29/01/2022	RIVER PANCHNAI AT NH-52 CROSSING, ORANG, ASSAM	РСВА	5.4	2.7	360	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



STN	Sampling Date	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
Code		Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	T. STITAL I. C	T mar Kemarks
2236	19/01/2022	RIVER KAPILI AT DHARMTUL BRIDGE, NH-31, NAGAON	РСВА	7.5	2.8	300	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2237	19/01/2022	RIVER KOLONG AT U/S OF ADP BRIDGE, NAGAON, ASSAM	РСВА	7.2	2.6	610	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2238	27/01/2022	RIVER BEKI AT NH-37 CROSSING AT BARPETA ROAD, ASSAM	РСВА	5.1	2.8	300	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2239	27/01/2022	RÎVER SANKOSH DHUBRI, ASSAM	РСВА	5.3	2.7	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2240	10/01/2022	RIVER BARAK AT D/S OF SILCHAR, ASSAM	РСВА	4.8	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2241	10/01/2022	RIVER SONAI AT SONAI, ASSAM	РСВА	5.1	2.8	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2242	27/01/2022	RIVER KUSHIARA AT KARIMGANJ, ASSAM	РСВА	6	2.4	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3759	10/01/2022	RIVER DIKRONG NEAR BRIDGE AT NH-52, BANDARDEWA	РСВА	6	2.7	300	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3760	10/01/2022	RIVER BAROI NEAR BRIDGE AT NH-52, BISWANATH DISTRICT	РСВА	5.5	2.8	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3763	29/01/2022	RIVER GABHARU NEAR BRIDGE AT NH-52, NEAR TUMIUKI, SONITPUR	PCBA	5.3	2.8	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3764	29/01/2022	RIVER DHANSIRI NEAR BRIDGE AT NH-15, DHANSIRI, UDALGURI	РСВА	6	2.4	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3765	29/01/2022	RIVER BEGA MG ROAD, MANGALDOI	PCBA	5	3.8	360	1500	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory

(379

STN	Sampling Date	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
Code		Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
3767	29/01/2022	RIVER NUWA NOI NEAR BRIDGE OVER BOINAOJA PARA, MANGALDOI	PCBA	5.5	2.5	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3768	03/01/2022	RIVER KAKODONGA AT NH-37 CROSSING	PCBA	6.6	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3769	03/01/2022	RIVER BHOGDOI INTAKE PT. OF URBAN WATER SUPPLY, JORHAT	PCBA	8.5	2.5	360	360	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3773	17/01/2022	RIVER TOWKAK AT SONARI	РСВА	7.2	2.4	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3774	17/01/2022	RIVER SUFFRY AT MAIBELLA	РСВА	7.4	2.2	300	360	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3776	19/01/2022	RIVER DIKHOW AT NAGINI MORA (INTER-STATE BOUNDARIES, ASSAM- NAGALAND)	РСВА	7.5	2.4	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3777	06/01/2022	RIVER DORIKA NEAR MSW DUMPING SITE, SIVASAGAR	РСВА	6.6	2.3	720	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3778	06/01/2022	RIVER DIKHOW AT DIKHOMUKH CONFLUENCE WITH BRAHAMPUTRA	РСВА	7.8	2.5	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3780	05/01/2022	RIVER SESSA NEAR SESSA TINIALI, NH BRIDGE, DIBRUGARH	PCBA	6.9	2.3	300	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3781	27/01/2022	RIVER BRAHMAPUTRA AT BOGIBEEL BRIDGE, BOGIBEEL, DIBRUGARH	PCBA	8.6	2.8	300	700	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3784	05/01/2022	RIVER TINGRAI NEAR TINSUKIA MSW DUMPING SITE, ITAKHOLA	РСВА	8.1	2.4	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3786	27/01/2022	RIVER GAI NADI AT SOMARAJAN, DHEMAJI	PCBA	8.8	2.5	300	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

(378

STN	Sampling Date	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform	Damada	First Dansarts
Code		Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
3788	27/01/2022	RIVER JIADHAL KUMOTIYA RIVER NEAR JIADHAL BRIDGE, DHEMAJI	PCBA	8.8	2.4	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3791	18/01/2022	RIVER KALIANI NEAR KANAIGHAT BRIDGE, KANAIGHAT	PCBA	8.5	2.4	300	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3792	18/01/2022	RIVER DHANSIRI AT JAHAIGHAT	PCBA	9.3	2.7	610	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3796	05/01/2022	RIVER KUJIA (NEAR NEW BOGAGIGAON) NEAR WATER INTAKE POINT FOR NF RAILWAY	PCBA	5.4	2.3	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3797	27/01/2022	RIVER MANAS (SANTOSHPUR) NEAR LENGTISINGA	PCBA	5.4	2.4	300	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3799	04/01/2022	RIVER KILLING IN MORIGAON DISTRICT	PCBA	9.3	2.8	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3803	10/01/2022	RIVER MADHURA AT MADHURAGHAT, CACHAR	PCBA	5.2	2.5	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3807	28/01/2022	RIVER DIGARU AT NH CROSSING	PCBA	8.8	2.6	720	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3810	19/01/2022	RIVER KULSI AT CHAYGAON NEAR NH37 CROSSING	РСВА	8.6	2.7	300	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3811	11/01/2022	RIVER PUTHIMARI NEAR PUTHIMARI CHOWK AT NH CROSSING	PCBA	8.4	2.8	300	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4004	10/01/2022	RIVER BRAHMAPUTRA AT BISWANATH GHAT	PCBA	6.8	2.5	360	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4005	06/01/2022	RIVER DISANG AT NH CROSSING	PCBA	7.7	2.2	360	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



STN	Sampling Date	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
Code		Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100mi		
4011	03/01/2022	RIVER TOCKLAI NEAR BRIDGE AT JORHAT	РСВА	4.3	2.3	910	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4012	05/01/2022	RIVER TUNIA AT D/S BRPL	PCBA	5.1	2.5	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4329	10/01/2022	RIVER LARSING NEAR LOCL DEPO AT MOINARBOND	PCBA	5.1	2.4	730	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4331	27/01/2022	RIVER DHATESHWARI D/S OF HAILAKANDI	РСВА	4	2.6	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4332	06/01/2022	RIVER DEMOW AT DEMOW TOWN	РСВА	7.4	2.5	600	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4336	19/01/2022	RIVER BORSILA AT BORSILA, DEOPANI, NAMTI	РСВА	7.3	2.4	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4341	11/01/2022	RIVER BARNADI NEAR BRIDGE, NH-52, DUMUNICHOWKI KAMRUP (R)	РСВА	10	2.4	610	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4342	11/01/2022	RIVER BARALIA (NEAR CHATPUJA GHAT) RANGIA, KAMRUP (R)	PCBA	5.2	2.4	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4343	04/01/2022	RIVER BURADIA (NEAR BRIDGE ALONG NH-31) NALBARI	PCBA	9.5	2.5	720	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4344	04/01/2022	RIVER TIHU (NEAR BRIDGE ALONG NH-31) TIHU, NALBARI	PCBA	5.1	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4345	19/01/2022	RIVER SINGRA (NEAR BRIDGE ALONG NH-37) BOKO, KAMRUP (R)	PCBA	7.3	2.5	600	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory