

X OF RIVER WATER AT DIFFERENT LOCATIONS IN THE STATE OF ASSAM UNDER NWMP FOR JULY'2022

Location Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
PUTRA AT DIBRUGARH, ASSAM	PCBA	8.5	2.4	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
MAPUTRA AT PANDU, ASSAM	PCBA	7.4	2.4	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
MAPUTRA AT N.H. CROSSING, ASSAM	PCBA	6.5	2.2	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
MAPUTRA AT GOLAGHAT, ASSAM	PCBA	6	2.7	300	940	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
MAPUTRA AT GEREKAMUKH (WITH BRAH.), ASSAM	PCBA	8.8	2.7	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
MAPUTRA AT NIMATIGHAT, ASSAM	PCBA	6.1	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
MAPUTRA AT GUNDAMGHAT, ASSAM	PCBA	6	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
MAPUTRA AT JOGIJHOGA BRIDGE, ASSAM	PCBA	6.6	2.4	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
MAPUTRA AT MARGHERITA, ASSAM	PCBA	5.5	2.6	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
MAPUTRA AT PANCHAGRAM, ASSAM	PCBA	5.8	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
MAPUTRA RIVER AT APAHAR, ASSAM	PCBA	7.2	2.8	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STATUS OF RIVER WATER AT DIFFERENT LOCATIONS IN THE STATE OF ASSAM UNDER NWMP FOR JULY'2022

Location Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
DI AT JORHAT , ASSAM	PCBA	5.3	2.6	910	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
DI AT GUWAHATI, ASSAM	PCBA	0.3(BDL)	34.6	2300	4300	DO (Not Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
DI AT LAKHIPATHER, FOREST, DIGBOI	PCBA	3.5	3.7	620	1300	DO (Not Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
DI AT HARALI AT TEZPUR, ASSAM	PCBA	5.3	3.3	600	1200	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
DI AT DILLIGHAT, DH DIST., ASSAM	PCBA	5.5	2.6	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
DI AT MARIGAON, ASSAM	PCBA	5.5	2.5	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
DI AT NH-31 CROSSING, TA, DISTRICT	PCBA	5.3	2.4	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
DI AT KHARSANG B/C WITH R KHARSANG (ASSAM-NEE BORDER), ASSAM	PCBA	5.5	2.4	300	940	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
DI AT NG NEAR DULIAJAN AT TINSUKIA,	PCBA	8	2.6	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
DI AT ALI NEAR BISWANATH HARALI,	PCBA	7	2.3	610	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
DI AT AHMAPUTRA AT PUR, GUWAHATI	PCBA	7.6	2.5	600	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
DI AT NEAR NALBARI TOWN, NALBARI, ASSAM	PCBA	5.8	2.6	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

QUALITY OF RIVER WATER AT DIFFERENT LOCATIONS IN THE STATE OF ASSAM UNDER NWMP FOR JULY'2022

Location Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
APUTRA AT DHUBRI, ASSAM	PCBA	5.5	2.6	620	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
PUTRA AT SUALKUCHI, T. KAMRUP	PCBA	7	2.5	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
KAL U/S AT MATIJURI, HAILAKANDI	PCBA	5.1	2.2	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
PUTRA NEAR WATER AT KACHARIGHAT	PCBA	7.2	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
AT DERGAON, ASSAM	PCBA	8.0	2.4	300	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
NDIL AT KUNDLI/ A, SADIA, ASSAM	PCBA	7.8	2.6	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
DIHING AT DULIAJAN (T OF OIL INDIA LTD.), ASSAM	PCBA	6.8	2.4	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
AT DIKHOW BRIDGE GAR, ASSAM	PCBA	5.3	2.4	720	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
A AT N.H. CROSSING, AM (BRAHMAPUTRA)	PCBA	4.3	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
I NEAR BRIDGE NH-52, IPUR, ASSAM	PCBA	6.5	2.5	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
NADI D/S OF HYDEL ECT, ASSAM	PCBA	6.4	2.6	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
I AT NH-52 CROSSING, NG, ASSAM	PCBA	5	2.3	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

X OF RIVER WATER AT DIFFERENT LOCATIONS IN THE STATE OF ASSAM UNDER NWMP FOR JULY'2022

ation Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
AT DHARMTUL BRIDGE, 31, NAGAON	PCBA	5.6	2.6	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	
AT U/S OF ADP BRIDGE, AON, ASSAM	PCBA	5.2	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
T NH-37 CROSSING AT A ROAD, ASSAM	PCBA	5.6	2.6	610	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
OSH DHUBRI, ASSAM	PCBA	5.3	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
K AT D/S OF SILCHAR, ASSAM	PCBA	5.6	2.3	940	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
AI AT SONAI, ASSAM	PCBA	5.6	2.4	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
IARA AT KARIMGANJ, ASSAM	PCBA	5.7	2	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
G NEAR BRIDGE AT NH- ANDARDEWA	PCBA	6.6	2.5	720	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
EAR BRIDGE AT NH-52, NATH DISTRICT	PCBA	6	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
U NEAR BRIDGE AT NH- UMIUKI, SONITPUR	PCBA	5.2	2.4	360	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
RI NEAR BRIDGE AT NH- SIRI, UDALGURI	PCBA	6.2	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
IG ROAD, MANGALDOI	PCBA	5.3	3.5	730	1100	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory

X OF RIVER WATER AT DIFFERENT LOCATIONS IN THE STATE OF ASSAM UNDER NWMP FOR JULY'2022

ation Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
OI NEAR BRIDGE OVER PARA, MANGALDOI	PCBA	6	2.6	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
ODONGA AT NH-37 CROSSING	PCBA	4.5	2.4	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
DI INTAKE PT. OF URBAN SUPPLY, JORHAT	PCBA	5.5	2.7	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
WAK AT SONARI	PCBA	6.2	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
FRY AT MAIBELLA	PCBA	6.5	2.5	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
OW AT NAGINI MORA BOUNDARIES, ASSAM- AGALAND)	PCBA	6.2	2.4	730	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
NEAR MSW DUMPING SIVASAGAR	PCBA	4.4	2.5	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
OW AT DIKHOMUKH WITH BRAHAMPUTRA	PCBA	5.1	2.7	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
EAR SESSA TINIALI, NH E, DIBRUGARH	PCBA	4.5	2.4	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
APUTRA AT BOGIBEEL GIBEEL, DIBRUGARH	PCBA	7.5	2.6	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
I NEAR TINSUKIA MSW S SITE, ITAKHOLA	PCBA	5.4	2.8	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
ADI AT SOMARAJAN, DHEMAJI	PCBA	4.4	2.3	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

QUALITY OF RIVER WATER AT DIFFERENT LOCATIONS IN THE STATE OF ASSAM UNDER NWMP FOR JULY'2022

Location Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
KUMOTIYA RIVER NEAR BRIDGE, DHEMAJI	PCBA	8	2.5	300	940	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
NI NEAR KANAIGHAT E, KANAIGHAT	PCBA	6	2.8	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
NSIRI AT JAHAIGHAT	PCBA	5	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
NEAR NEW BOGAGIGAON) INTAKE POINT FOR NF RAILWAY	PCBA	5.5	2.7	610	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
(SANTOSHPUR) NEAR NGTISINGA	PCBA	5.4	2.8	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
N MORIGAON DISTRICT	PCBA	6.2	2.4	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
RA AT MADHURAGHAT, CACHAR	PCBA	5.6	2.2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
RU AT NH CROSSING	PCBA	6.8	2.6	620	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
CHAYGAON NEAR NH37 CROSSING	PCBA	8.8	2.2	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
MARI NEAR PUTHIMARI AT NH CROSSING	PCBA	6.8	2.4	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
PUTRA AT BISWANATH GHAT	PCBA	7.2	2.6	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
IG AT NH CROSSING	PCBA	5.2	2	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

QUALITY OF RIVER WATER AT DIFFERENT LOCATIONS IN THE STATE OF ASSAM UNDER NWMP FOR JULY'2022

Location Name Quality Criteria	Mon Agency	DO > 4.0 mg/l	BOD < 3.0 mg/l	Fecal Coliform < 2500 MPN/100ml	Total Coliform < 5000 MPN/100ml	Remarks	Final Remarks
LAI NEAR BRIDGE AT JORHAT	PCBA	4.5	2.6	1500	3500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
UNIA AT D/S BRPL	PCBA	5.2	1.9	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
G NEAR LOCL DEPO AT BINARBOND	PCBA	6.4	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
ATESHWARI D/S OF AILAKANDI	PCBA	4.4	2.4	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
W AT DEMOW TOWN	PCBA	5.3	2.6	1500	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
AT BORSILA, DEOPANI, NAMTI	PCBA	6.6	2.6	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
I NEAR BRIDGE, NH-52, HOWKI KAMRUP (R)	PCBA	4.7	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
IA (NEAR CHATPUJA NGIA, KAMRUP (R)	PCBA	6.4	2.6	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
A (NEAR BRIDGE ALONG 31) NALBARI	PCBA	6.5	2.4	620	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
AR BRIDGE ALONG NH- HU, NALBARI	PCBA	5.2	2.7	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
(NEAR BRIDGE ALONG OKO, KAMRUP (R)	PCBA	7	2.7	360	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
AR RAKHALDUBI DIST., IGAON, ASSAM	PCBA	5.6	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

OF RIVER WATER AT DIFFERENT LOCATIONS IN THE STATE OF ASSAM UNDER NWMP FOR JULY'2022

U/S BRPL, DHALIGAON, HIRANG, ASSAM	PCBA	5.3	2.6	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
R AT DOBOKA NEAR E, DIST. HOJAI	PCBA	5.3	2.4	600	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
RIVER, SLUICE GATE, NARENGI TINIALI, RUGHULI, NO. 2	PCBA	4	2.5	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
R, BASISTHA CHARIALI, ZAAR, GUWAHATI	PCBA	4.2	2.4	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
R, GACHUK, PAMOHI D, GUWAHATI	PCBA	4	2.7	930	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory