

WATER QUALITY INDEX OF RIVER WATER AT DIFFERENT LOCATIONS IN THE STATE OF ASSAM UNDER NWMP FOR NOVEMBER - 2022

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
1030	03-11-22	RIVER BRAHMAPUTRA AT DIBRUGARH, ASSAM	PCBA	8	2.5	940	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1031	02-11-22	RIVER BRAHMAPUTRA AT PANDU, ASSAM	PCBA	7.6	2.2	940	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1258	01-11-22	RIVER JHANJI AT N.H. CROSSING JORHAT, ASSAM	PCBA	6.3	2.2	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1259	14-11-22	RIVER DHANSIRI AT GOLAGHAT, ASSAM	PCBA	8.7	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1261	16-11-22	RIVER SUBANSIRI AT GERUKAMUKH (BEFORE CONFLUENCE WITH RIVER BRAHMAPUTRA)	PCBA	8	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1262	01-11-22	RIVER BRAHMAPUTRA AT NIMATIGHAT, ASSAM	PCBA	6.8	2.6	600	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1298	21-11-22	RIVER DISANG AT GUDAMGHAT, ASSAM	PCBA	7.3	2.3	360	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1299	16-11-22	RIVER BRAHMAPUTRA AT JOGIGHOPA NEAR BRIDGE, ASSAM	PCBA	6.6	2.5	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1422	14-11-22	RIVER BURHIDIHING AT MARGHERITA, ASSAM	PCBA	6.7	2.3	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1423	21-11-22	RIVER BARAK RIVER AT PANCHAGRAM, ASSAM	PCBA	5.2	2.2	940	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1526	28-11-22	RIVER BRAHMAPUTRA RIVER AT DHENUKHAPAHAAR, ASSAM	PCBA	7.2	2.5	610	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
1527	01-11-22	RIVER BHOGDOI AT JORHAT , ASSAM	PCBA	6.5	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1528	02-11-22	RIVER BHARALU AT GUWAHATI, ASSAM	PCBA	0.3(BDL)	35	2900	4400	DO (Not Satisfied) BOD (Not Satisfied) FC (Not Satisfied) TC (Satisfied)	Not Satisfactory
1530	16-11-22	RIVER DIGBOI AT LAKHIPATHE, RESERVE FOREST, DIGBOI	PCBA	3.9	3	1100	2000	DO (Not Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1531	28-11-22	RIVER MORA BHARALI AT TEZPUR, ASSAM	PCBA	4.6	3.1	720	1100	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
2058	28-11-22	RIVER DISANG AT DILLIGHAT, DIBRUGARH DIST., ASSAM	PCBA	8.5	2	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2059	02-11-22	RIVER KOLONG AT MARIGAON, ASSAM	PCBA	4.1	2.2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2060	16-11-22	RIVER MANAS AT NH-31 CROSSING, BARPETA	PCBA	5.2	2.6	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2061	16-11-22	RIVER KHARSANG B/C WITH BURIDIHING NEAR KHARSANG (ASSAM-ARUNANCHAL BORDER), ASSAM	PCBA	9.1	2.2	610	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2062	28-11-22	RIVER BURHIDIHING NEAR DULIAJAN AT D/S, TINSUKIA	PCBA	8	2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2063	09-11-22	RIVER JIA BHARALI AT BISWANATH CHARALI, SONITPUR	PCBA	7	2.2	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2064	17-11-22	RIVER BRAHMAPUTRA AT CHANDRAPUR, GUWAHATI, ASSAM	PCBA	7.3	2.3	930	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2065	02-11-22	RIVER PAGLDIA NEAR NALBARI TOWN, DIST. NALBARI, ASSAM	PCBA	6.6	2.6	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
2066	21-11-22	RIVER BRAHMAPUTRA AT DHUBRI, ASSAM	PCBA	7.3	2.2	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2067	02-11-22	RIVER BRAHMPUTRA AT SUALKUCHI, DIST. KAMRUP, ASSAM	PCBA	7	2.4	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2068	21-11-22	RIVER KATHAKAL U/S AT MATIJURI, DIST. HAILAKANDI, ASSAM	PCBA	6.1	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2069	02-11-22	RIVER BRAHMPUTRA NEAR WATER INTAKE POINT AT KACHARIGHAT, ASSAM	PCBA	7.9	2.6	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2228	14-11-22	GELA BEEL AT DERGAON, ASSAM	PCBA	9.7	2.5	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2229	03-11-22	RIVER KUNDLI AT KUNDLI/ SAPAKHOWA, SADIA, ASSAM	PCBA	7.1	2.6	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2230	28-11-22	RIVER BURHIDIHING AT DULIAJAN (INTAKE POINT OF OIL INDIA LTD.), ASSAM	PCBA	8.2	2.1	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2231	04-11-22	RIVER DIKHOW AT DIKHOW BRIDGE SIVASAGAR, ASSAM	PCBA	6.3	2.3	1100	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2232	14-11-22	RIVER KOHORA AT N.H. CROSSING, KOHORA, ASSAM (BRAHMAPUTRA)	PCBA	5.5	2.3	360	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2233	09-11-22	RIVER BOGINADI NEAR BRIDGE NH-52, LAKHIMPUR, ASSAM	PCBA	6.2	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2234	09-11-22	RIVER RANGA NADI D/S OF HYDEL PROJECT, ASSAM	PCBA	5.8	2.3	360	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2235	29-11-22	RIVER PANCHNOI AT NH-52 CROSSING, ORANG, ASSAM	PCBA	5.3	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
2236	17-11-22	RIVER KAPILI AT DHARMTUL BRIDGE, NH-31, MORIGAON	PCBA	4.8	2	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2237	17-11-22	RIVER KOLONG AT U/S OF ADP BRIDGE, NAGAON, ASSAM	PCBA	4.3	2.3	900	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2238	16-11-22	RIVER BEKI AT NH-37 CROSSING AT BARPETA ROAD, ASSAM	PCBA	5.4	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2239	14-11-22	RIVER SANKOSH DHUBRI, ASSAM	PCBA	5.5	2.3	360	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2240	09-11-22	RIVER BARAK AT D/S OF SILCHAR, ASSAM	PCBA	5.2	2.3	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2241	09-11-22	RIVER SONAI AT SONAI, ASSAM	PCBA	5.1	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2242	21-11-22	RIVER KUSHIARA AT KARIMGANJ, ASSAM	PCBA	6.1	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3759	09-11-22	RIVER DIKONG NEAR BRIDGE AT NH-52, BANDARDEWA	PCBA	6	2.2	610	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3760	09-11-22	RIVER BAROI NEAR BRIDGE AT NH-52, BISWANATH DISTRICT	PCBA	5.6	2.2	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3763	29-11-22	RIVER GABHARU NEAR BRIDGE AT NH-52, NEAR TUMIUKI, SONITPUR	PCBA	5	2.3	610	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3764	29-11-22	RIVER DHANSIRI NEAR BRIDGE AT NH-15, DHANSIRI BHALUKMARI JUNGLE, UDALGURI	PCBA	6	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3765	29-11-22	RIVER BEGA MG ROAD, MANGALDOI	PCBA	5.6	3.2	1100	1900	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
3767	29-11-22	RIVER NUWA NOI NEAR BRIDGE OVER BOINAOJA PARA, MANGALDOI	PCBA	5.4	2.4	600	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3768	01-11-22	RIVER KAKODONGA AT NH-37 CROSSING	PCBA	5.4	2.3	730	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3769	01-11-22	RIVER BHOGDOI (PUJADUBI GHAT) INTAKE POINT OF URBAN WATER SUPPLY, JORHAT	PCBA	6.3	2.5	300	600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3773	21-11-22	RIVER TOWKAK AT SONARI	PCBA	7	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3774	21-11-22	RIVER SUFFRY AT MAIBELLA	PCBA	7.4	2.5	360	610	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3776	21-11-22	RIVER DIKHOW AT NAGINI MORA (INTER-STATE BOUNDARIES, ASSAM-NAGALAND)	PCBA	7.2	2.4	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3777	04-11-22	RIVER DORIKA NEAR MSW DUMPING SITE, SIVASAGAR	PCBA	4.3	2.1	300	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3778	04-11-22	RIVER DIKHOW AT DIKHOWMUKH CONFLUENCE WITH BRAHAMPUTRA	PCBA	6.2	2.1	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3780	03-11-22	RIVER SESSA NEAR SESSA TINIALI, NH BRIDGE, DIBRUGARH	PCBA	5.8	2.4	300	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3781	16-11-22	RIVER BRAHAMPUTRA AT BOGIBEEL BRIDGE, BOGIBEEL, DIBRUGARH	PCBA	7.7	2.6	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3784	03-11-22	RIVER TINGRAI NEAR TINSUKIA MSW DUMPING SITE, ITAKHOLA	PCBA	6.4	2.6	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3786	16-11-22	RIVER GAI NADI AT SOMARAJAN, DHEMAJI	PCBA	7.2	2.6	300	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
3788	16-11-22	RIVER JIADHAL KUMOTIYA RIVER NEAR JIADHAL BRIDGE, DHEMAJI	PCBA	6.8	2.3	300	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3791	14-11-22	RIVER KALIANI NEAR KANAIGHAT BRIDGE, KANAIGHAT	PCBA	7.9	2.5	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3792	14-11-22	RIVER DHANSIRI AT JAHAIGHAT	PCBA	8	2.1	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3796	16-11-22	RIVER KUJI (NEAR NEW BOGAGIGAON) NEAR WATER INTAKE POINT FOR NF RAILWAY	PCBA	5.5	2.4	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3797	16-11-22	RIVER MANAS (SANTOSH PUR) NEAR LENGTISINGA	PCBA	5.5	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3799	02-11-22	RIVER KILLING IN MORIGAON DISTRICT	PCBA	4.5	2.1	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3803	09-11-22	RIVER MADHURA AT MADHURAGHAT, CACHAR	PCBA	5.2	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3807	17-11-22	RIVER DIGARU AT NH CROSSING	PCBA	7.2	2.6	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3810	17-11-22	RIVER KULSI AT CHAYGAON NEAR NH37 CROSSING	PCBA	8.6	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3811	04-11-22	RIVER PUTHIMARI NEAR PUTHIMARI CHOWK AT NH CROSSING	PCBA	7.4	2.6	720	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4004	09-11-22	RIVER BRAHAMPUTRA AT BISWANATH GHAT	PCBA	7.3	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4005	04-11-22	RIVER DISANG AT NH CROSSING	PCBA	5.6	2.3	300	600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
4011	01-11-22	RIVER TOCKLAI NEAR BRIDGE AT JORHAT	PCBA	4.5	2.8	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4012	16-11-22	RIVER TUNIA AT D/S BRPL	PCBA	5.2	2.4	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4329	09-11-22	RIVER LARSING NEAR LOCL DEPO AT MOINARBOND	PCBA	5	2.2	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4331	21-11-22	RIVER DHATESHWARI D/S OF HAILAKANDI	PCBA	4.6	2.2	720	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4332	04-11-22	RIVER DEMOW AT DEMOW TOWN	PCBA	5	2.6	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4336	07-11-22	RIVER BORSILA AT BORSILA, DEOPANI, NAMTI	PCBA	6.4	2.2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4341	04-11-22	RIVER BARNADI NEAR BRIDGE, NH-52, DUMUNICHOWKI KAMRUP	PCBA	8.3	2.6	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4342	04-11-22	RIVER BARALIA (NEAR CHATPUJA GHAT) RANGIA, KAMRUP	PCBA	5.7	2.6	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4343	02-11-22	RIVER BURALIA (NEAR BRIDGE ALONG NH-31) NALBARI	PCBA	6.6	2.3	930	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4344	02-11-22	RIVER TIHU (NEAR BRIDGE ALONG NH-31) TIHU, NALBARI	PCBA	5.3	2.4	610	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4345	17-11-22	RIVER SINGRA (NEAR BRIDGE ALONG NH-37) BOKO, KAMRUP	PCBA	6.6	2.6	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5135	21-11-22	RIVER AIE NEAR RAKHALDUBI DIST BONGAIGAON, ASSAM	PCBA	5.4	2.6	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
5138	16-11-22	RIVER, TUNIA U/S BRPL, DHALIGAON, DIST. CHIRANG, ASSAM	PCBA	5.4	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5139	17-11-22	RIVER JAMUNA AT DOBOKA NEAR BRIDGE, DIST. HOJAI	PCBA	5.4	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5140	17-11-22	RIVER BONDANJAN, SLUICE GATE, BIRKUCHI NARENGI TINIALI, KHARGHULI, NO. 2	PCBA	4	2.6	1500	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5141	02-11-22	RIVER BASISTHA BASISTHA CHARIALI, NUTAN BAZAAR, GUWAHATI	PCBA	4	2.6	1500	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5142	02-11-22	RIVER PAMOHI GACHUK, PAMOHI ROAD, GUWAHATI	PCBA	4	2.4	1600	2900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory