STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Damardar	Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
1030	27-04-2023	RIVER BRAHMAPUTRA AT DIBRUGARH, ASSAM	7.3	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1031	03-04-2023	RIVER BRAHMAPUTRA AT PANDU, ASSAM	7.7	2.5	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1258	03-04-2023	RIVER JHANJI AT N.H. CROSSING JORHAT, ASSAM	7	2.3	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1259	17-04-2023	RIVER DHANSIRI AT GOLAGHAT, ASSAM	10.5	2.2	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1261	17-04-2023	RIVER SUBANSIRI AT GERUKAMUKH (BEFORE CONFLUENCE WITH RIVER BRAHMAPUTRA)	6.6	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1262	03-04-2023	RIVER BRAHMAPUTRA AT NIMATIGHAT, ASSAM	7.1	2.5	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1298	10-04-2023	RIVER DISANG AT GUDAMGHAT, ASSAM	6	2.1	910	2300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1299	03-04-2023	RIVER BRAHMAPUTRA AT JOGIGHOPA NEAR BRIDGE, ASSAM	5.4	2.3	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1422	17-04-2023	RIVER BURHIDIHING AT MARGHERITA, ASSAM	6.5	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1423	25-04-2023	RIVER BARAK RIVER AT PANCHAGRAM , ASSAM	6	2.5	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1526	27-04-2023	RIVER BRAHMPUTRA RIVER AT DHENUKHAPAHAR, ASSAM	7.2	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Domorko	Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
1527	03-04-2023	RIVER BHOGDOI AT JORHAT , ASSAM	7.2	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1528	03-04-2023	RIVER BHARALU AT GUWAHATI, ASSAM	0.3(BDL)	31.8	2700	4400	DO (Not Satisfied) BOD (Not Satisfied) FC (Not Satisfied) TC (Satisfied)	Not Satisfactory
1530	17-04-2023	RIVER DIGBOI AT LAKHIPATHE, RESERVE FOREST, DIGBOI, ASSAM	2.7	3.2	620	1600	DO (Not Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1531	27-04-2023	RIVER MORA BHARALI AT TEZPUR, ASSAM	4	3.1	940	1600	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
2058	27-04-2023	RIVER DISANG AT DILLIGHAT, DIBRUGARH DIST., ASSAM	6.2	2.3	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2059	03-04-2023	RIVER KOLONG AT MARIGAON, ASSAM	7.5	2.5	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2060	25-04-2023	RIVER MANAS AT NH-31 CROSSING, BARPETA DISTRICT, ASSAM	5.2	2.4	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2061	17-04-2023	RIVER KHARSANG B/C WITH BURIDIHING NEAR KHARSANG (ASSAM-ARUNANCHAL BORDER), ASSAM	5.8	2.4	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2062	27-04-2023	RIVER BURHIDIHING NEAR DULIAJAN AT D/S, TINSUKIA, ASSAM	7.1	2.6	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2063	10-04-2023	RIVER JIA BHARALI AT BISWANATH CHARALI, SONITPUR	7	2.5	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2064	26-04-2023	RIVER BRAHMAPUTRA AT CHANDRAPUR, GUWAHATI, ASSAM	7.7	2.1	2800	3600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
2065	03-04-2023	RIVER PAGLDIA NEAR NALBARI TOWN, DIST. NALBARI, ASSAM	7.1	2.4	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2066	25-04-2023	RIVER BRAHMAPUTRA AT DHUBRI, ASSAM	5.5	2	910	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2067	03-04-2023	RIVER BRAHMPUTRA AT SUALKUCHI, DIST. KAMRUP, ASSAM	6.9	2.8	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2068	25-04-2023	RIVER KATHAKAL U/S AT MATIJURI, DIST. HAILAKANDI, ASSAM	6.1	2	720	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2069	03-04-2023	RIVER BRAHMPUTRA NEAR WATER INTAKE POINT AT KACHARIGHAT, PANBAZAR, GUWAHATI, ASSAM	7	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2228	17-04-2023	GELA BEEL AT DERGAON, ASSAM	6	2.7	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2229	03-04-2023	RIVER KUNDLI AT KUNDLI/ SAPAKHOWA, SADIA, ASSAM	7.6	2.1	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2230	27-04-2023	RIVER BURHIDIHING AT DULIAJAN (INTAKE POINT OF OIL INDIA LTD.), ASSAM	7.5	2.3	940	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2231	24-04-2023	RIVER DIKHOW AT DIKHOW BRIDGE SIVASAGAR, ASSAM	6.7	2.1	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2232	17-04-2023	RIVER KOHORA AT N.H. CROSSING, KOHORA, ASSAM (BRAHMAPUTRA)	6.2	2.1	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2233	10-04-2023	RIVER BOGINADI NEAR BRIDGE NH-52, LAKHIMPUR, ASSAM	5.5	2.2	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Damardar	Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
2234	10-04-2023	RIVER RANGA NADI D/S OF HYDEL PROJECT, ASSAM	6	2.4	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2235	28-04-2023	RIVER PANCHNOI AT NH-52 CROSSING, ORANG, ASSAM	5.5	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2236	24-04-2023	RIVER KAPILI AT DHARMTUL BRIDGE, NH-31, MORIGAON, ASSAM	5.6	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2237	24-04-2023	RIVER KOLONG AT U/S OF ANANDARAM DEKIAL PHUKAN BRIDGE, NAGAON, ASSAM	6.2	2.4	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2238	25-04-2023	RIVER BEKI AT NH-37 CROSSING AT BARPETA ROAD, ASSAM	5.4	2.3	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2239	25-04-2023	RIVER SANKOSH DHUBRI, ASSAM	5.2	2.1	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2240	10-04-2023	RIVER BARAK AT D/S OF SILCHAR, ASSAM	5.1	2.4	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2241	10-04-2023	RIVER SONAI AT SONAI, ASSAM	5.2	2.3	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2242	25-04-2023	RIVER KUSHIARA AT KARIMGANJ, ASSAM	6.2	2	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3759	10-04-2023	RIVER DIKRONG NEAR BRIDGE AT NH-52, BANDARDEWA	5.6	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3760	10-04-2023	RIVER BAROI NEAR BRIDGE AT NH-52, BISWANATH DISTRICT	5.4	2.3	610	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Dementer	Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
3763	28-04-2023	RIVER GABHARU NEAR BRIDGE AT NH-52, NEAR TUMIUKI, SONITPUR	5.6	2.5	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3764	28-04-2023	RIVER DHANSIRI NEAR BRIDGE AT NH-15, DHANSIRI BHALUKMARI JUNGLE, UDALGURI	5.8	2.4	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3765	28-04-2023	RIVER BEGA MG ROAD, MANGALDOI	5	3.2	1100	2100	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
3767	28-04-2023	RIVER NUWA NOI NEAR BRIDGE OVER BOINAOJA PARA, MANGALDOI	6	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3768	03-04-2023	RIVER KAKODONGA AT NH-37 CROSSING	4.8	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3769	03-04-2023	RIVER BHOGDOI (PUJADUBI GHAT) INTAKE POINT OF URBAN WATER SUPPLY, JORHAT	7.7	2.2	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3773	10-04-2023	RIVER TOWKAK AT SONARI	6.2	2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3774	10-04-2023	RIVER SUFFRY AT MAIBELLA	5.6	1.9	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3776	24-04-2023	RIVER DIKHOW AT NAGINI MORA (INTER-STATE BOUNDARIES, ASSAM-NAGALAND)	5.7	2.4	610	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3777	05-04-2023	RIVER DORIKA NEAR MSW DUMPING SITE, SIVASAGAR	5.3	2.8	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3778	05-04-2023	RIVER DIKHOW AT DIKHOWMUKH CONFLUENCE WITH BRAHAMPUTRA	6	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Domorko	Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
3780	03-04-2023	RIVER SESSA NEAR SESSA TINIALI, NH BRIDGE, DIBRUGARH	6.4	2.5	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3781	17-04-2023	RIVER BRAHAMPUTRA AT BOGIBEEL BRIDGE, BOGIBEEL, DIBRUGARH	7	2.3	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3784	03-04-2023	RIVER TINGRAI NEAR TINSUKIA MSW DUMPING SITE, ITAKHOLA	7.8	2.6	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3786	17-04-2023	RIVER GAI NADI AT SOMARAJAN, DHEMAJI	6.2	2	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3788	17-04-2023	RIVER JIADHAL KUMOTIYA RIVER NEAR JIADHAL BRIDGE, DHEMAJI	8	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3791	17-04-2023	RIVER KALIANI NEAR KANAIGHAT BRIDGE, KANAIGHAT	6.6	2.4	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3792	17-04-2023	RIVER DHANSIRI AT JAHAIGHAT	7.1	2.4	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3796	03-04-2023	RIVER KUJI (NEAR NEW BOGAGIGAON) NEAR WATER INTAKE POINT FOR NF RAILWAY	5.2	2.1	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3797	25-04-2023	RIVER MANAS (SANTOSHPUR) NEAR LENGTISINGA	5.5	2.7	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3799	03-04-2023	RIVER KILLING IN MORIGAON DISTRICT	8.2	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3803	10-04-2023	RIVER MADHURA AT MADHURAGHAT, CACHAR	5	2.2	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Domorko	Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
3807	28-04-2023	RIVER DIGARU AT NH CROSSING	4.2	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3810	25-04-2023	RIVER KULSI AT CHAYGAON NEAR NH37 CROSSING	5.9	2.7	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3811	05-04-2023	RIVER PUTHIMARI NEAR PUTHIMARI CHOWK AT NH CROSSING	7.6	2.5	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4004	10-04-2023	RIVER BRAHAMPUTRA AT BISWANATH GHAT	7.3	2.7	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4005	05-04-2023	RIVER DISANG AT NH CROSSING	6.1	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4011	03-04-2023	RIVER TOCKLAI NEAR BRIDGE AT JORHAT	6.7	2.6	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4012	03-04-2023	RIVER TUNIA AT D/S BRPL	5.1	2.2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4329	10-04-2023	RIVER LARSING NEAR LOCL DEPO AT MOINARBOND	5.2	2.1	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4331	25-04-2023	RIVER DHATESHWARI D/S OF HAILAKANDI	4.6	2.8	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4332	05-04-2023	RIVER DEMOW AT DEMOW TOWN	6.5	2.4	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4336	24-04-2023	RIVER BORSILA AT BORSILA, DEOPANI, NAMTI	6.7	2.3	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Damarka	Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
4341	05-04-2023	RIVER BARNADI NEAR BRIDGE, NH-52, DUMUNICHOWKI KAMRUP	7.9	2.2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4342	05-04-2023	RIVER BARALIA (NEAR CHATPUJA GHAT) RANGIA, KAMRUP	7	2.5	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4343	03-04-2023	RIVER BURALIA (NEAR BRIDGE ALONG NH-31) NALBARI	6.7	2.4	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4344	03-04-2023	RIVER TIHU (NEAR BRIDGE ALONG NH-31) TIHU, NALBARI	8.7	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4345	25-04-2023	RIVER SINGRA (NEAR BRIDGE ALONG NH-37) BOKO, KAMRUP	7.8	2.1	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5135	25-04-2023	RIVER AIE NEAR RAKHALDUBI DIST., BONGAIGAON, ASSAM	5.3	2.2	720	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5138	03-04-2023	RIVER, TUNIA U/S BRPL, DHALIGAON, DIST. CHIRANG, ASSAM	4.6	2.3	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5139	24-04-2023	RIVER JAMUNA AT DOBOKA NEAR BRIDGE, DIST. HOJAI	6.1	2.1	610	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5140	26-04-2023	RIVER BONDANJAN, SLUICE GATE, BIRKUCHI NARENGI TINIALI, KHARGHULI, NO. 2	5.3	2.3	2000	3500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5141	03-04-2023	RIVER BASISTHA BASISTHA CHARIALI, NUTAN BAZAAR, GUWAHATI	4.8	2.6	2000	3500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5142	03-04-2023	RIVER PAMOHI GACHUK, PAMOHI ROAD, GUWAHATI	5.3	2.3	1400	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Domorko	Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
5599	25-04-2023	RIVER GADADHAR AT GOLKGANJ BRIDGE	5.4	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5600	24-04-2023	RIVER NAMDANG NEAR BRIDGE AT HATI PATTY GELEKY	5.6	1.9	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5601	24-04-2023	RIVER NAMDANG AT KALUGAON	5.7	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5602	24-04-2023	RIVER KAPILI AT KHERONI GHAT NEAR BRIDGE, WEST KARBI ANGLONG , KHERONI	5.3	2.2	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5603	10-04-2023	RIVER DALOO AT DALOO, CACHAR	5.1	2.7	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5604	17-04-2023	RIVER EGO (SIMEN) NEAR SIMENCHAPORI BRIDGE,DHEMAJI	7.6	2	300	620	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5605	24-04-2023	RIVER DISANG AT NANGALMARA GHAT	7	2.4	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5606	10-04-2023	RIVER DIKHOW AT SIMALUGURI	6.5	1.6	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5607	03-04-2023	RIVER THIU AT D/S OF INDUSTRIAL AREA NEAR HELOCHAPARA SHIVA TEMPLE	7.5	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5608	25-04-2023	RIVER KULSI AT KUKURMARA	7.3	2.5	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5609	03-04-2023	RIVER TUNIA AT NEW BONGAIGAON RAILWAY STATION	5.1	2.6	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
5610	03-04-2023	RIVER BRAHMAPUTRA AT MATIA (BAHATI GHAT)	5.5	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5611	03-04-2023	RIVER MORNOI AT MORNOI GHAT	5.2	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5612	17-04-2023	RIVER BRAHMAPUTRA NEWR DHOLA SADIA BRIDGE	5.5	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5613	17-04-2023	RIVER DOOMDOOMA AT D/S OF DOOMDOOMA TOWN AT HANSARA	5.6	2	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5614	28-04-2023	RIVER BEGA AT D/S OF MANGALDOI TOWN	5.2	3.3	1900	3400	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
5615	25-04-2023	RIVER GHOGRA NEAR ITI, SRIKONA MAIN BLOCK	6.3	2	910	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5616	03-04-2023	RIVER TUNIA AT NH NEAR BGR	4.3	2.7	730	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory