STN	Sampling	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform	5 1	F: 15 1
Code	Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
1030	20-02-2023	RIVER BRAHMAPUTRA AT DIBRUGARH, ASSAM	PCBA	6.9	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1031	02-02-2023	RIVER BRAHMAPUTRA AT PANDU, ASSAM	PCBA	7.2	2.4	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1258	01-02-2023	RIVER JHANJI AT N.H. CROSSING JORHAT, ASSAM	PCBA	7.5	2.6	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1259	13-02-2023	RIVER DHANSIRI AT GOLAGHAT, ASSAM	PCBA	7	2.6	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1261	09-02-2023	RIVER SUBANSIRI AT GEREKAMUKH (BEFORE CONFL. WITH BRAH.), ASSAM	PCBA	7.6	2.3	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1262	01-02-2023	RIVER BRAHMAPUTRA AT NIMATIGHAT, ASSAM	PCBA	7.6	2.1	360	920	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1298	14-02-2023	RIVER DISANG AT GUNDAMGHAT, ASSAM	PCBA	6	2.2	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1299	02-02-2023	RIVER BRAHMAPUTRA AT JOGIJHOGA NEAR BRIDGE, ASSAM	PCBA	6.5	2.4	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1422	20-02-2023	RIVER BURHIDIHING AT MARGHERITA, ASSAM	PCBA	6.5	2.5	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1423	15-02-2023	RIVER BARAK AT PANCHAGRAM , ASSAM	PCBA	6	2.1	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1526	20-02-2023	RIVER BRAHMAPUTRA RIVER AT DHENUKHAPAHAR, ASSAM	PCBA	7.2	2.4	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
1527	01-02-2023	RIVER BHOGDOI AT JORHAT , ASSAM	РСВА	7.1	2.1	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1528	02-02-2023	RIVER BHARALU AT GUWAHATI, ASSAM	PCBA	0.3(BDL)	36	2800	4400	DO (Not Satisfied) BOD (Not Satisfied) FC (Not Satisfied) TC (Satisfied)	Not Satisfactory
1530	20-02-2023	RIVER DIGBOI AT LAKHIPATHER, RESERVE FOREST, DIGBOI	PCBA	2.3	3.2	720	1400	DO (Not Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1531	20-02-2023	RIVER MORA BHARALI AT TEZPUR, ASSAM	PCBA	4	3.2	600	1200	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
2058	09-02-2023	RIVER DISANG AT DILLIGHAT, DIBRUGARH DIST., ASSAM	PCBA	9.5	2.3	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2059	02-02-2023	RIVER KOLONG AT MARIGAON, ASSAM	PCBA	8.4	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2060	15-02-2023	MANAS RIVER AT NH-31 CROSSING, BARPETA, DISTRICT	PCBA	5.6	2.6	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2061	20-02-2023	RIVER KHARSANG B/C WITH BURIDIHING NEAR KHARSANG (ASSAM- ARUNANCHAL BORDER), ASSAM	PCBA	5.9	2.3	720	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2062	09-02-2023	RIVER BURHIDIHING NEAR DULIAJAN AT D/S, TINSUKIA,	PCBA	6.8	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2063	05-02-2023	RIVER JIA BHARALI NEAR BISWANATH CHARALI,	PCBA	6.8	2.5	720	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2064	16-02-2023	RIVER BRAHMAPUTRA AT CHANDRAPUR, GUWAHATI	PCBA	8.1	2.1	720	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2065	02-02-2023	RIVER PAGLDIA NEAR NALBARI TOWN, DIST. NALBARI, ASSAM	РСВА	7.7	2.8	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
2066	15-02-2023	RIVER BRAHMAPUTRA AT DHUBRI, ASSAM	PCBA	5.6	2.5	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2067	02-02-2023	RIVER BRAHMPUTRA AT SUALKUCHI, DIST. KAMRUP	PCBA	6.3	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2068	15-02-2023	RIVER KATHAKAL U/S AT MATIJURI, DIST. HAILAKANDI	PCBA	5.6	2	610	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2069	02-02-2023	RIVER BRAHMAPUTRA NEAR WATER INTAKE PT. AT KACHARIGHAT	PCBA	7.1	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2228	13-02-2023	RIVER GELABEEL AT DERGAON, ASSAM	PCBA	9.6	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2229	02-02-2023	RIVER KUNDIL AT KUNDLI/ SAPAKHOWA, SADIA, ASSAM	PCBA	8.2	2.6	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2230	09-02-2023	RIVER BURHIDIHING AT DULIAJAN (INTAKE POINT OF OIL INDIA LTD.), ASSAM	PCBA	5	2.3	610	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2231	03-02-2023	RIVER DIKHOW AT DIKHOW BRIDGE SIVASAGAR, ASSAM	PCBA	7.1	2.3	360	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2232	13-02-2023	RIVER KOHORA AT N.H. CROSSING, KOHORA, ASSAM (BRAHMAPUTRA)	PCBA	7.1	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2233	05-02-2023	RIVER BOGINADI NEAR BRIDGE NH-52, LAKHIMPUR, ASSAM	PCBA	5.6	2.1	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2234	05-02-2023	RIVER RANGA NADI D/S OF HYDEL PROJECT, ASSAM	PCBA	6	2	610	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2235	23-02-2023	RIVER PANCHNAI AT NH-52 CROSSING, ORANG, ASSAM	PCBA	5	2.5	920	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN		Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
2236	14-02-2023	RIVER KAPILI AT DHARMTUL BRIDGE, NH-31, NAGAON	РСВА	5.8	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2237	14-02-2023	RIVER KOLONG AT U/S OF ADP BRIDGE, NAGAON, ASSAM	PCBA	5.9	2	1100	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2238	15-02-2023	RIVER BEKI AT NH-37 CROSSING AT BARPETA ROAD, ASSAM	PCBA	5.3	2.7	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2239	15-02-2023	RIVER SANKOSH DHUBRI, ASSAM	PCBA	5.3	2.1	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2240	06-02-2023	RIVER BARAK AT D/S OF SILCHAR, ASSAM	PCBA	5.1	2.1	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2241	06-02-2023	RIVER SONAI AT SONAI, ASSAM	PCBA	5.1	2.3	610	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2242	15-02-2023	RIVER KUSHIARA AT KARIMGANJ, ASSAM	PCBA	5.3	2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3759	05-02-2023	RIVER DIKRONG NEAR BRIDGE AT NH- 52, BANDARDEWA	PCBA	5.8	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3760	05-02-2023	RIVER BAROI NEAR BRIDGE AT NH-52, BISWANATH DISTRICT	PCBA	5.5	2.4	360	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3763	23-02-2023	RIVER GABHARU NEAR BRIDGE AT NH- 52, NEAR TUMIUKI, SONITPUR	PCBA	5	2.1	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3764	23-02-2023	RIVER DHANSIRI NEAR BRIDGE AT NH- 15, DHANSIRI, UDALGURI	PCBA	5.6	2.1	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3765	20-02-2023	RIVER BEGA MG ROAD, MANGALDOI	PCBA	5.2	3.4	600	1200	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory

STN		Station Name		DO	BOD	Fecal Coliform	Total Coliform		
Code	Sampling Date	Water Quality Criteria	Mon Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
3767	20-02-2023	RIVER NUWA NOI NEAR BRIDGE OVER BOINAOJA PARA, MANGALDOI	PCBA	5.6	2.6	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3768	01-02-2023	RIVER KAKODONGA AT NH-37 CROSSING	PCBA	5.4	2.2	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3769	01-02-2023	RIVER BHOGDOI INTAKE PT. OF URBAN WATER SUPPLY, JORHAT	PCBA	7.5	2.2	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3773	14-02-2023	RIVER TOWKAK AT SONARI	PCBA	7.9	2.4	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3774	06-02-2023	RIVER SUFFRY AT MAIBELLA	PCBA	7	2.2	300	610	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3776	14-02-2023	RIVER DIKHOW AT NAGINI MORA (INTER-STATE BOUNDARIES, ASSAM- NAGALAND)	PCBA	8	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3777	03-02-2023	RIVER DORIKA NEAR MSW DUMPING SITE, SIVASAGAR	PCBA	4.5	2.2	720	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3778	03-02-2023	RIVER DIKHOW AT DIKHOMUKH CONFLUENCE WITH BRAHAMPUTRA	PCBA	6.5	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3780	02-02-2023	RIVER SESSA NEAR SESSA TINIALI, NH BRIDGE, DIBRUGARH	PCBA	6.9	2.5	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3781	09-02-2023	RIVER BRAHMAPUTRA AT BOGIBEEL BRIDGE, BOGIBEEL, DIBRUGARH	PCBA	5.4	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3784	02-02-2023	RIVER TINGRAI NEAR TINSUKIA MSW DUMPING SITE, ITAKHOLA	PCBA	7.5	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3786	09-02-2023	RIVER GAI NADI AT SOMARAJAN, DHEMAJI	PCBA	7.7	2.3	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN		Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
3788	09-02-2023	RIVER JIADHAL KUMOTIYA RIVER NEAR JIADHAL BRIDGE, DHEMAJI	PCBA	7.4	2.4	360	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3791	13-02-2023	RIVER KALIANI NEAR KANAIGHAT BRIDGE, KANAIGHAT	PCBA	9.8	2.4	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3792	13-02-2023	RIVER DHANSIRI AT JAHAIGHAT	PCBA	9.5	2.4	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3796	02-02-2023	RIVER KUJIA (NEAR NEW BOGAGIGAON) NEAR WATER INTAKE POINT FOR NF RAILWAY	PCBA	5.3	2.1	610	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3797	15-02-2023	RIVER MANAS (SANTOSHPUR) NEAR LENGTISINGA	PCBA	5.5	2.7	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3799	02-02-2023	RIVER KILLING IN MORIGAON DISTRICT	PCBA	10.9	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3803	06-02-2023	RIVER MADHURA AT MADHURAGHAT, CACHAR	PCBA	5.2	2	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3807	14-02-2023	RIVER DIGARU AT NH CROSSING	PCBA	9.8	2.5	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3810	14-02-2023	RIVER KULSI AT CHAYGAON NEAR NH- 37 CROSSING	PCBA	7.3	2.5	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3811	03-02-2023	RIVER PUTHIMARI NEAR PUTHIMARI CHOWK AT NH CROSSING	PCBA	8.3	2.4	720	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4004	05-02-2023	RIVER BRAHMAPUTRA AT BISWANATH GHAT	PCBA	7.2	2.7	610	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4005	03-02-2023	RIVER DISANG AT NH CROSSING	PCBA	6.8	2.2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Campling Data	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform	Domonico	
Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
4011	01-02-2023	RIVER TOCKLAI NEAR BRIDGE AT JORHAT	PCBA	6.8	2	730	2600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4012	02-02-2023	RIVER TUNIA AT D/S BRPL	PCBA	5.2	2.6	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4329	06-02-2023	RIVER LARSING NEAR LOCL DEPO AT MOINARBOND	PCBA	5	2.1	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4331	15-02-2023	RIVER DHATESHWARI D/S OF HAILAKANDI	PCBA	5.3	2.7	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4332	03-02-2023	RIVER DEMOW AT DEMOW TOWN	PCBA	5.6	2.2	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4336	14-02-2023	RIVER BORSILA AT BORSILA, DEOPANI, NAMTI	PCBA	7.9	2.3	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4341	02-02-2023	RIVER BARNADI NEAR BRIDGE, NH-52, DUMUNICHOWKI KAMRUP (R)	PCBA	9.3	2.2	610	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4342	03-02-2023	RIVER BARALIA (NEAR CHATPUJA GHAT) RANGIA, KAMRUP (R)	PCBA	7.5	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4343	02-02-2023	RIVER BURADIA (NEAR BRIDGE ALONG NH-31) NALBARI	PCBA	8.4	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4344	02-02-2023	RIVER TIHU (NEAR BRIDGE ALONG NH- 31) TIHU, NALBARI	PCBA	6.1	2.2	610	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4345	14-02-2023	RIVER SINGRA (NEAR BRIDGE ALONG NH-37) BOKO, KAMRUP (R)	PCBA	8.2	2.2	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5135	15-02-2023	AIE RIVER NEAR RAKHALDUBI DIST., BONGAIGAON, ASSAM	PCBA	5.4	2.5	360	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

5138	02-02-2023	TUNIA RIVER, U/S BRPL, DHALIGAON, DIST. CHIRANG, ASSAM	PCBA	4.4	2.7	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5139	14-02-2023	JAMUNA RIVER AT DOBOKA NEAR BRIDGE, DIST. HOJAI	PCBA	5.7	2.1	610	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5140	16-02-2023	BONDANJAN RIVER, SLUICE GATE, BIRKUCHI NARENGI TINIALI, KHARGHULI, NO. 2	PCBA	5.3	2.5	2000	3400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5141	02-02-2023	BASISTHA RIVER, BASISTHA CHARIALI, NUTAN BAZAAR, GUWAHATI	PCBA	5	2.1	2100	3500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5142	02-02-2023	PAMOHI RIVER, GACHUK, PAMOHI ROAD, GUWAHATI	PCBA	5.3	2.7	1500	2900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5144	09-02-2023	RIVER KALANADI NEAR BAMUNJULI BRIDGE CROSSING AT MANGALDOI BHUTIACHANG	PCBA	8.6	2.1	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory