STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria ->	> 4.0 mg/l		< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
1030	12-07-2023	RIVER BRAHMAPUTRA AT DIBRUGARH, ASSAM	5	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1031	03-07-2023	RIVER BRAHMAPUTRA AT PANDU, ASSAM	8.7	2.1	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1258	03-07-2023	RIVER JHANJI AT N.H. CROSSING JORHAT, ASSAM	6.7	2.3	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1259	10-07-2023	RIVER DHANSIRI AT GOLAGHAT, ASSAM	7.1	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1261	12-07-2023	RIVER SUBANSIRI AT GERUKAMUKH (BEFORE CONFLUENCE WITH RIVER BRAHMAPUTRA)	7.8	2.1	620	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1262	03-07-2023	RIVER BRAHMAPUTRA AT NIMATIGHAT, ASSAM	6.4	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1298	10-07-2023	RIVER DISANG AT GUDAMGHAT, ASSAM	6.7	2.1	730	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1299	04-07-2023	RIVER BRAHMAPUTRA AT JOGIGHOPA NEAR BRIDGE, ASSAM	5.6	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1422	19-07-2023	RIVER BURHIDIHING AT MARGHERITA, ASSAM	6.3	2.4	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1423	17-07-2023	RIVER BARAK RIVER AT PANCHAGRAM , ASSAM	6.2	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1526	19-07-2023	RIVER BRAHMPUTRA RIVER AT DHENUKHAPAHAR, ASSAM	7.2	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria ->	> 4.0 mg/l		< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
1527	03-07-2023	RIVER BHOGDOI AT JORHAT , ASSAM	5.7	2.1	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1528	03-07-2023	RIVER BHARALU AT GUWAHATI, ASSAM	0.5	30.8	2900	5300	DO (Not Satisfied) BOD (Not Satisfied) FC (Not Satisfied) TC (Not Satisfied)	Not Satisfactory
1530	19-07-2023	RIVER DIGBOI AT LAKHIPATHE, RESERVE FOREST, DIGBOI, ASSAM	4.7	3.1	730	1500	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1531	19-07-2023	RIVER MORA BHARALI AT TEZPUR, ASSAM	5.4	3.2	910	2000	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
2058	19-07-2023	RIVER DISANG AT DILLIGHAT, DIBRUGARH DIST., ASSAM	5.4	2	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2059	03-07-2023	RIVER KOLONG AT MARIGAON, ASSAM	7	2.1	600	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2060	16-07-2023	RIVER MANAS AT NH-31 CROSSING, BARPETA DISTRICT, ASSAM	5.3	2.7	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2061	19-07-2023	RIVER KHARSANG B/C WITH BURIDIHING NEAR KHARSANG (ASSAM-ARUNANCHAL BORDER), ASSAM	5.7	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2062	19-07-2023	RIVER BURHIDIHING NEAR DULIAJAN AT D/S, TINSUKIA, ASSAM	6	2.2	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2063	13-07-2023	RIVER JIA BHARALI AT BISWANATH CHARALI, SONITPUR	6.8	2	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2064	17-07-2023	RIVER BRAHMAPUTRA AT CHANDRAPUR, GUWAHATI, ASSAM	7.5	2.2	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria ->	> 4.0 mg/l		< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
2065	10-07-2023	RIVER PAGLDIA NEAR NALBARI TOWN, DIST. NALBARI, ASSAM	6.7	2.2	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2066	16-07-2023	RIVER BRAHMAPUTRA AT DHUBRI, ASSAM	5.5	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2067	10-07-2023	RIVER BRAHMPUTRA AT SUALKUCHI, DIST. KAMRUP, ASSAM	6.2	2.3	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2068	17-07-2023	RIVER KATHAKAL U/S AT MATIJURI, DIST. HAILAKANDI, ASSAM	6.2	2.2	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2069	03-07-2023	RIVER BRAHMPUTRA NEAR WATER INTAKE POINT AT KACHARIGHAT, PANBAZAR, GUWAHATI, ASSAM	7.8	2.5	920	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2228	10-07-2023	GELA BEEL AT DERGAON, ASSAM	5.3	2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2229	04-07-2023	RIVER KUNDLI AT KUNDLI/ SAPAKHOWA, SADIA, ASSAM	5.6	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2230	19-07-2023	RIVER BURHIDIHING AT DULIAJAN (INTAKE POINT OF OIL INDIA LTD.), ASSAM	5.3	2.5	1100	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2231	06-07-2023	RIVER DIKHOW AT DIKHOW BRIDGE SIVASAGAR, ASSAM	6.1	2.2	910	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2232	10-07-2023	RIVER KOHORA AT N.H. CROSSING, KOHORA, ASSAM (BRAHMAPUTRA)	6.3	2.2	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2233	13-07-2023	RIVER BOGINADI NEAR BRIDGE NH-52, LAKHIMPUR, ASSAM	5.8	2.2	930	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria ->	> 4.0 mg/l		< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
2234	13-07-2023	RIVER RANGA NADI D/S OF HYDEL PROJECT, ASSAM	6.2	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2235	20-07-2023	RIVER PANCHNOI AT NH-52 CROSSING, ORANG, ASSAM	6	2.3	940	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2236	18-07-2023	RIVER KAPILI AT DHARMTUL BRIDGE, NH-31, MORIGAON, ASSAM	5.6	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2237	18-07-2023	RIVER KOLONG AT U/S OF ANANDARAM DEKIAL PHUKAN BRIDGE, NAGAON, ASSAM	5	2.5	930	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2238	16-07-2023	RIVER BEKI AT NH-37 CROSSING AT BARPETA ROAD, ASSAM	5.5	2.1	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2239	16-07-2023	RIVER SANKOSH DHUBRI, ASSAM	5.4	2.1	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2240	04-07-2023	RIVER BARAK AT D/S OF SILCHAR, ASSAM	5.2	2	1100	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2241	04-07-2023	RIVER SONAI AT SONAI, ASSAM	5.5	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2242	17-07-2023	RIVER KUSHIARA AT KARIMGANJ, ASSAM	6.1	2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3759	13-07-2023	RIVER DIKRONG NEAR BRIDGE AT NH-52, BANDARDEWA	6	2.1	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3760	13-07-2023	RIVER BAROI NEAR BRIDGE AT NH-52, BISWANATH DISTRICT	6.3	2.2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria ->	> 4.0 mg/l		< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
3763	20-07-2023	RIVER GABHARU NEAR BRIDGE AT NH-52, NEAR TUMIUKI, SONITPUR	6	2.2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3764	20-07-2023	RIVER DHANSIRI NEAR BRIDGE AT NH-15, DHANSIRI BHALUKMARI JUNGLE, UDALGURI	6.3	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3765	20-07-2023	RIVER BEGA MG ROAD, MANGALDOI	6.2	3.1	940	1600	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
3767	20-07-2023	RIVER NUWA NOI NEAR BRIDGE OVER BOINAOJA PARA, MANGALDOI	6	2.2	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3768	03-07-2023	RIVER KAKODONGA AT NH-37 CROSSING	5.1	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3769	03-07-2023	RIVER BHOGDOI (PUJADUBI GHAT) INTAKE POINT OF URBAN WATER SUPPLY, JORHAT	6	2.6	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3773	10-07-2023	RIVER TOWKAK AT SONARI	6	2.1	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3774	10-07-2023	RIVER SUFFRY AT MAIBELLA	6.2	2.1	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3776	11-07-2023	RIVER DIKHOW AT NAGINI MORA (INTER-STATE BOUNDARIES, ASSAM-NAGALAND)	6.9	2.1	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3777	06-07-2023	RIVER DORIKA NEAR MSW DUMPING SITE, SIVASAGAR	4.2	2.3	730	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3778	06-07-2023	RIVER DIKHOW AT DIKHOWMUKH CONFLUENCE WITH BRAHAMPUTRA	6.1	1.8	730	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria ->	> 4.0 mg/l		< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
3780	04-07-2023	RIVER SESSA NEAR SESSA TINIALI, NH BRIDGE, DIBRUGARH	5	2.3	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3781	12-07-2023	RIVER BRAHAMPUTRA AT BOGIBEEL BRIDGE, BOGIBEEL, DIBRUGARH	6.8	2	300	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3784	04-07-2023	RIVER TINGRAI NEAR TINSUKIA MSW DUMPING SITE, ITAKHOLA	6.8	2.2	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3786	12-07-2023	RIVER GAI NADI AT SOMARAJAN, DHEMAJI	5.2	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3788	12-07-2023	RIVER JIADHAL KUMOTIYA RIVER NEAR JIADHAL BRIDGE, DHEMAJI	5.4	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3791	10-07-2023	RIVER KALIANI NEAR KANAIGHAT BRIDGE, KANAIGHAT	6.5	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3792	10-07-2023	RIVER DHANSIRI AT JAHAIGHAT	6.7	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3796	04-07-2023	RIVER KUJI (NEAR NEW BOGAGIGAON) NEAR WATER INTAKE POINT FOR NF RAILWAY	5.5	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3797	16-07-2023	RIVER MANAS (SANTOSHPUR) NEAR LENGTISINGA	5.4	2.5	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3799	03-07-2023	RIVER KILLING IN MORIGAON DISTRICT	6	2	920	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3803	04-07-2023	RIVER MADHURA AT MADHURAGHAT, CACHAR	5.4	2	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria ->	> 4.0 mg/l		< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
3807	18-07-2023	RIVER DIGARU AT NH CROSSING	7.3	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3810	24-07-2023	RIVER KULSI AT CHAYGAON NEAR NH37 CROSSING	7.7	2.5	940	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3811	13-07-2023	RIVER PUTHIMARI NEAR PUTHIMARI CHOWK AT NH CROSSING	7.2	2.7	910	2300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4004	13-07-2023	RIVER BRAHAMPUTRA AT BISWANATH GHAT	7.2	2.1	720	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4005	06-07-2023	RIVER DISANG AT NH CROSSING	6.2	2.3	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4011	03-07-2023	RIVER TOCKLAI NEAR BRIDGE AT JORHAT	5.2	2.7	1100	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4012	04-07-2023	RIVER TUNIA AT D/S BRPL	5.4	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4329	04-07-2023	RIVER LARSING NEAR LOCL DEPO AT MOINARBOND	5.4	2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4331	17-07-2023	RIVER DHATESHWARI D/S OF HAILAKANDI	5.6	2.2	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4332	06-07-2023	RIVER DEMOW AT DEMOW TOWN	5.9	2.5	910	2300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4336	11-07-2023	RIVER BORSILA AT BORSILA, DEOPANI, NAMTI	5.7	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria ->	> 4.0 mg/l		< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
4341	13-07-2023	RIVER BARNADI NEAR BRIDGE, NH-52, DUMUNICHOWKI KAMRUP	6.7	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4342	13-07-2023	RIVER BARALIA (NEAR CHATPUJA GHAT) RANGIA, KAMRUP	7.6	2.2	910	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4343	10-07-2023	RIVER BURALIA (NEAR BRIDGE ALONG NH-31) NALBARI	5.1	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4344	10-07-2023	RIVER TIHU (NEAR BRIDGE ALONG NH-31) TIHU, NALBARI	5	2.4	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4345	24-07-2023	RIVER SINGRA (NEAR BRIDGE ALONG NH-37) BOKO, KAMRUP	7.3	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5135	16-07-2023	RIVER AIE NEAR RAKHALDUBI DIST., BONGAIGAON, ASSAM	5.1	2	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5138	04-07-2023	RIVER, TUNIA U/S BRPL, DHALIGAON, DIST. CHIRANG, ASSAM	5.2	2.2	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5139	17-07-2023	RIVER JAMUNA AT DOBOKA NEAR BRIDGE, DIST. HOJAI	5	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5140	17-07-2023	RIVER BONDANJAN, SLUICE GATE, BIRKUCHI NARENGI TINIALI, KHARGHULI, NO. 2	5.4	2.3	2000	3400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5141	03-07-2023	RIVER BASISTHA BASISTHA CHARIALI, NUTAN BAZAAR, GUWAHATI	5.7	2.3	2100	3600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5142	03-07-2023	RIVER PAMOHI GACHUK, PAMOHI ROAD, GUWAHATI	5	2.4	1400	2600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
5599	16-07-2023	RIVER GADADHAR AT GOLKGANJ BRIDGE	5.3	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5600	11-07-2023	RIVER NAMDANG NEAR BRIDGE AT HATI PATTY GELEKY	5.8	2.3	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5601	11-07-2023	RIVER NAMDANG AT KALUGAON	5.3	2.3	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5602	17-07-2023	RIVER KAPILI AT KHERONI GHAT NEAR BRIDGE, WEST KARBI ANGLONG , KHERONI	5.9	2.2	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5603	04-07-2023	RIVER DALOO AT DALOO, CACHAR	5.2	2.3	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5604	12-07-2023	RIVER EGO (SIMEN) NEAR SIMENCHAPORI BRIDGE,DHEMAJI	5.8	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5605	11-07-2023	RIVER DISANG AT NANGALMARA GHAT	6.5	2.3	730	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5606	10-07-2023	RIVER DIKHOW AT SIMALUGURI	6.8	2.2	1100	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5607	10-07-2023	RIVER THIU AT D/S OF INDUSTRIAL AREA NEAR HELOCHAPARA SHIVA TEMPLE	6.1	2.2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5608	24-07-2023	RIVER KULSI AT KUKURMARA	7.2	2.2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5609	04-07-2023	RIVER TUNIA AT NEW BONGAIGAON RAILWAY STATION	5.2	2	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

CTN	Commilian	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
STN Code	Sampling Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
		RIVER BRAHMAPUTRA AT MATIA (BAHATI GHAT)	5.5	2.1	360	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5611	04-07-2023	RIVER MORNOI AT MORNOI GHAT	5.4	2.2	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5612	04-07-2023	RIVER BRAHMAPUTRA NEWR DHOLA SADIA BRIDGE	6.5	2.2	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5613	04-07-2023	RIVER DOOMDOOMA AT D/S OF DOOMDOOMA TOWN AT HANSARA	5.6	2.1	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5614	20-07-2023	RIVER BEGA AT D/S OF MANGALDOI TOWN	5.8	3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5615	17-07-2023	RIVER GHOGRA NEAR ITI, SRIKONA MAIN BLOCK	6	2.1	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5616	04-07-2023	RIVER TUNIA AT NH NEAR BGR	5.1	2.2	1500	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory