STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria ->	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
1030	14-06-2023	RIVER BRAHMAPUTRA AT DIBRUGARH, ASSAM	6.8	2.1	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1031	06-06-2023	RIVER BRAHMAPUTRA AT PANDU, ASSAM	6.1	2.3	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1258	06-06-2023	RIVER JHANJI AT N.H. CROSSING JORHAT, ASSAM	6.3	2.2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1259	13-06-2023	RIVER DHANSIRI AT GOLAGHAT, ASSAM	5	2.1	940	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1261	14-06-2023	RIVER SUBANSIRI AT GERUKAMUKH (BEFORE CONFLUENCE WITH RIVER BRAHMAPUTRA)	6.9	2	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1262	06-06-2023	RIVER BRAHMAPUTRA AT NIMATIGHAT, ASSAM	7.3	2	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1298	19-06-2023	RIVER DISANG AT GUDAMGHAT, ASSAM	6	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1299	07-06-2023	RIVER BRAHMAPUTRA AT JOGIGHOPA NEAR BRIDGE, ASSAM	5.4	2	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1422	26-06-2023	RIVER BURHIDIHING AT MARGHERITA, ASSAM	5.3	2.1	600	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1423	26-06-2023	RIVER BARAK RIVER AT PANCHAGRAM , ASSAM	6.1	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1526	27-06-2023	RIVER BRAHMPUTRA RIVER AT DHENUKHAPAHAR, ASSAM	7.3	2	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
1527	06-06-2023	RIVER BHOGDOI AT JORHAT , ASSAM	6.1	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1528	06-06-2023	RIVER BHARALU AT GUWAHATI, ASSAM	1	31.4	2900	4400	DO (Not Satisfied) BOD (Not Satisfied) FC (Not Satisfied) TC (Satisfied)	Not Satisfactory
1530	26-06-2023	RIVER DIGBOI AT LAKHIPATHE, RESERVE FOREST, DIGBOI, ASSAM	4.5	3	940	1600	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1531	27-06-2023	RIVER MORA BHARALI AT TEZPUR, ASSAM	5	3.1	360	1100	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
2058	26-06-2023	RIVER DISANG AT DILLIGHAT, DIBRUGARH DIST., ASSAM	7.3	1.8	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2059	06-06-2023	RIVER KOLONG AT MARIGAON, ASSAM	5	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2060	20-06-2023	RIVER MANAS AT NH-31 CROSSING, BARPETA DISTRICT, ASSAM	5.4	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2061		RIVER KHARSANG B/C WITH BURIDIHING NEAR KHARSANG (ASSAM-ARUNANCHAL BORDER), ASSAM	5.6	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2062	26-06-2023	RIVER BURHIDIHING NEAR DULIAJAN AT D/S, TINSUKIA, ASSAM	6.1	2.3	910	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2063	14-06-2023	RIVER JIA BHARALI AT BISWANATH CHARALI, SONITPUR	6.8	2.1	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2064	21-06-2023	RIVER BRAHMAPUTRA AT CHANDRAPUR, GUWAHATI, ASSAM	8.5	2	930	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria ->	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
2065	06-06-2023	RIVER PAGLDIA NEAR NALBARI TOWN, DIST. NALBARI, ASSAM	6	2	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2066	20-06-2023	RIVER BRAHMAPUTRA AT DHUBRI, ASSAM	5.7	2	910	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2067	06-06-2023	RIVER BRAHMPUTRA AT SUALKUCHI, DIST. KAMRUP, ASSAM	5.8	2.5	1500	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2068	26-06-2023	RIVER KATHAKAL U/S AT MATIJURI, DIST. HAILAKANDI, ASSAM	6.1	2	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2069	06-06-2023	RIVER BRAHMPUTRA NEAR WATER INTAKE POINT AT KACHARIGHAT, PANBAZAR, GUWAHATI, ASSAM	5.4	2.3	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2228	13-06-2023	GELA BEEL AT DERGAON, ASSAM	6	2.2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2229	07-06-2023	RIVER KUNDLI AT KUNDLI/ SAPAKHOWA, SADIA, ASSAM	6.7	2.2	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2230	26-06-2023	RIVER BURHIDIHING AT DULIAJAN (INTAKE POINT OF OIL INDIA LTD.), ASSAM	5	2.2	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2231	08-06-2023	RIVER DIKHOW AT DIKHOW BRIDGE SIVASAGAR, ASSAM	7.3	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2232	13-06-2023	RIVER KOHORA AT N.H. CROSSING, KOHORA, ASSAM (BRAHMAPUTRA)	5.1	2	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2233	14-06-2023	RIVER BOGINADI NEAR BRIDGE NH-52, LAKHIMPUR, ASSAM	6	2	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria ->	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
2234	14-06-2023	RIVER RANGA NADI D/S OF HYDEL PROJECT, ASSAM	6.2	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2235	28-06-2023	RIVER PANCHNOI AT NH-52 CROSSING, ORANG, ASSAM	6.2	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2236	20-06-2023	RIVER KAPILI AT DHARMTUL BRIDGE, NH-31, MORIGAON, ASSAM	6.2	2.1	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2237	20-06-2023	RIVER KOLONG AT U/S OF ANANDARAM DEKIAL PHUKAN BRIDGE, NAGAON, ASSAM	7.4	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2238	20-06-2023	RIVER BEKI AT NH-37 CROSSING AT BARPETA ROAD, ASSAM	5.5	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2239	20-06-2023	RIVER SANKOSH DHUBRI, ASSAM	5.3	2	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2240	07-06-2023	RIVER BARAK AT D/S OF SILCHAR, ASSAM	5.3	2.2	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2241	07-06-2023	RIVER SONAI AT SONAI, ASSAM	5.3	2.3	610	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2242	26-06-2023	RIVER KUSHIARA AT KARIMGANJ, ASSAM	6.2	2.1	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3759	14-06-2023	RIVER DIKRONG NEAR BRIDGE AT NH-52, BANDARDEWA	6.3	1.8	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3760	14-06-2023	RIVER BAROI NEAR BRIDGE AT NH-52, BISWANATH DISTRICT	5.8	1.9	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
3763	28-06-2023	RIVER GABHARU NEAR BRIDGE AT NH-52, NEAR TUMIUKI, SONITPUR	5.8	2.1	620	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3764	28-06-2023	RIVER DHANSIRI NEAR BRIDGE AT NH-15, DHANSIRI BHALUKMARI JUNGLE, UDALGURI	6.4	1.9	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3765	28-06-2023	RIVER BEGA MG ROAD, MANGALDOI	6	3.2	920	1900	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
3767	28-06-2023	RIVER NUWA NOI NEAR BRIDGE OVER BOINAOJA PARA, MANGALDOI	6.3	2	610	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3768	06-06-2023	RIVER KAKODONGA AT NH-37 CROSSING	5.6	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3769	06-06-2023	RIVER BHOGDOI (PUJADUBI GHAT) INTAKE POINT OF URBAN WATER SUPPLY, JORHAT	6.2	2.8	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3773	19-06-2023	RIVER TOWKAK AT SONARI	5.9	1.9	730	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3774	19-06-2023	RIVER SUFFRY AT MAIBELLA	5.8	2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3776	16-06-2023	RIVER DIKHOW AT NAGINI MORA (INTER-STATE BOUNDARIES, ASSAM-NAGALAND)	6	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3777	08-06-2023	RIVER DORIKA NEAR MSW DUMPING SITE, SIVASAGAR	5	2.2	910	2300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3778	08-06-2023	RIVER DIKHOW AT DIKHOWMUKH CONFLUENCE WITH BRAHAMPUTRA	6	2	730	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform	5	Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
3780	07-06-2023	RIVER SESSA NEAR SESSA TINIALI, NH BRIDGE, DIBRUGARH	7.2	2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3781	14-06-2023	RIVER BRAHAMPUTRA AT BOGIBEEL BRIDGE, BOGIBEEL, DIBRUGARH	7.3	2.2	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3784	07-06-2023	RIVER TINGRAI NEAR TINSUKIA MSW DUMPING SITE, ITAKHOLA	5.3	2	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3786	14-06-2023	RIVER GAI NADI AT SOMARAJAN, DHEMAJI	6.5	2.1	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3788	14-06-2023	RIVER JIADHAL KUMOTIYA RIVER NEAR JIADHAL BRIDGE, DHEMAJI	7.6	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3791	13-06-2023	RIVER KALIANI NEAR KANAIGHAT BRIDGE, KANAIGHAT	6.1	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3792	13-06-2023	RIVER DHANSIRI AT JAHAIGHAT	5.6	2	1400	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3796	07-06-2023	RIVER KUJI (NEAR NEW BOGAGIGAON) NEAR WATER INTAKE POINT FOR NF RAILWAY	5.5	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3797	20-06-2023	RIVER MANAS (SANTOSHPUR) NEAR LENGTISINGA	5.6	2.3	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3799	06-06-2023	RIVER KILLING IN MORIGAON DISTRICT	8.3	1.9	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3803	07-06-2023	RIVER MADHURA AT MADHURAGHAT, CACHAR	5.2	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria ->	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
3807	20-06-2023	RIVER DIGARU AT NH CROSSING	6.1	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3810	20-06-2023	RIVER KULSI AT CHAYGAON NEAR NH37 CROSSING	6.5	2.3	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3811	13-06-2023	RIVER PUTHIMARI NEAR PUTHIMARI CHOWK AT NH CROSSING	7.9	2.5	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4004	14-06-2023	RIVER BRAHAMPUTRA AT BISWANATH GHAT	7.3	2	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4005	08-06-2023	RIVER DISANG AT NH CROSSING	5.5	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4011	06-06-2023	RIVER TOCKLAI NEAR BRIDGE AT JORHAT	5.2	2.7	910	2300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4012	07-06-2023	RIVER TUNIA AT D/S BRPL	5.3	2.1	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4329	07-06-2023	RIVER LARSING NEAR LOCL DEPO AT MOINARBOND	5.3	2.1	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4331	26-06-2023	RIVER DHATESHWARI D/S OF HAILAKANDI	5.2	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4332	08-06-2023	RIVER DEMOW AT DEMOW TOWN	6.2	2.6	360	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4336	16-06-2023	RIVER BORSILA AT BORSILA, DEOPANI, NAMTI	6.1	1.9	730	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO BOD Fecal Coliform Total Coliform			Final		
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
4341	13-06-2023	RIVER BARNADI NEAR BRIDGE, NH-52, DUMUNICHOWKI KAMRUP	8.8	2.1	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4342	13-06-2023	RIVER BARALIA (NEAR CHATPUJA GHAT) RANGIA, KAMRUP	7.3	2.2	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4343	06-06-2023	RIVER BURALIA (NEAR BRIDGE ALONG NH-31) NALBARI	5.4	2.3	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4344	06-06-2023	RIVER TIHU (NEAR BRIDGE ALONG NH-31) TIHU, NALBARI	6.8	2.5	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4345	20-06-2023	RIVER SINGRA (NEAR BRIDGE ALONG NH-37) BOKO, KAMRUP	7.1	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5135	20-06-2023	RIVER AIE NEAR RAKHALDUBI DIST., BONGAIGAON, ASSAM	5.5	2.2	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5138	07-06-2023	RIVER, TUNIA U/S BRPL, DHALIGAON, DIST. CHIRANG, ASSAM	5.1	2.2	610	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5139	20-06-2023	RIVER JAMUNA AT DOBOKA NEAR BRIDGE, DIST. HOJAI	6	2.2	360	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5140	21-06-2023	RIVER BONDANJAN, SLUICE GATE, BIRKUCHI NARENGI TINIALI, KHARGHULI, NO. 2	5.2	2	2100	3600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5141	06-06-2023	RIVER BASISTHA BASISTHA CHARIALI, NUTAN BAZAAR, GUWAHATI	5	2.5	2000	3500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5142	06-06-2023	RIVER PAMOHI GACHUK, PAMOHI ROAD, GUWAHATI	5.1	2.6	1500	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
5599	20-06-2023	RIVER GADADHAR AT GOLKGANJ BRIDGE	5.4	2	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5600	16-06-2023	RIVER NAMDANG NEAR BRIDGE AT HATI PATTY GELEKY	5	2	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5601	16-06-2023	RIVER NAMDANG AT KALUGAON	5.1	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5602	20-06-2023	RIVER KAPILI AT KHERONI GHAT NEAR BRIDGE, WEST KARBI ANGLONG , KHERONI	5.6	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5603	07-06-2023	RIVER DALOO AT DALOO, CACHAR	5.1	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5604	14-06-2023	RIVER EGO (SIMEN) NEAR SIMENCHAPORI BRIDGE,DHEMAJI	7.2	2.1	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5605	16-06-2023	RIVER DISANG AT NANGALMARA GHAT	6.2	2	910	2300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5606	19-06-2023	RIVER DIKHOW AT SIMALUGURI	7.1	2.1	730	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5607	06-06-2023	RIVER THIU AT D/S OF INDUSTRIAL AREA NEAR HELOCHAPARA SHIVA TEMPLE	6.1	2.3	1500	3500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5608	20-06-2023	RIVER KULSI AT KUKURMARA	6.8	2.1	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5609	07-06-2023	RIVER TUNIA AT NEW BONGAIGAON RAILWAY STATION	5	2.1	1500	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Domarko	Final
Code	Date	Water Quality Criteria>	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
5610	07-06-2023	RIVER BRAHMAPUTRA AT MATIA (BAHATI GHAT)	5.5	2.1	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5611	07-06-2023	RIVER MORNOI AT MORNOI GHAT	5.6	2.2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5612	07-06-2023	RIVER BRAHMAPUTRA NEWR DHOLA SADIA BRIDGE	6.3	2.3	1400	2600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5613	07-06-2023	RIVER DOOMDOOMA AT D/S OF DOOMDOOMA TOWN AT HANSARA	7.2	2	600	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5614	28-06-2023	RIVER BEGA AT D/S OF MANGALDOI TOWN	5.8	3.4	1100	2400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5615	26-06-2023	RIVER GHOGRA NEAR ITI, SRIKONA MAIN BLOCK	6.1	2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5616	07-06-2023	RIVER TUNIA AT NH NEAR BGR	5.3	2.3	1500	3500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory