STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
1030	21-08-2023	RIVER BRAHMAPUTRA AT DIBRUGARH, ASSAM	7.5	2.5	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1031	01-08-2023	RIVER BRAHMAPUTRA AT PANDU, ASSAM	6.4	2.2	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1258	07-08-2023	RIVER JHANJI AT N.H. CROSSING JORHAT, ASSAM	6.4	2.5	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1259	09-08-2023	RIVER DHANSIRI AT GOLAGHAT, ASSAM	6.4	2	940	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1261	28-08-2023	RIVER SUBANSIRI AT GERUKAMUKH (BEFORE CONFLUENCE WITH RIVER BRAHMAPUTRA)	7.2	2.4	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1262	07-08-2023	RIVER BRAHMAPUTRA AT NIMATIGHAT, ASSAM	6.8	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1298	16-08-2023	RIVER DISANG AT GUDAMGHAT, ASSAM	6.5	2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1299	03-08-2023	RIVER BRAHMAPUTRA AT JOGIGHOPA NEAR BRIDGE, ASSAM	5.6	2.3	910	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1422	03-08-2023	RIVER BURHIDIHING AT MARGHERITA, ASSAM	6.5	2	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1423	03-08-2023	RIVER BARAK RIVER AT PANCHAGRAM , ASSAM	6.1	2.5	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1526	23-08-2023	RIVER BRAHMPUTRA RIVER AT DHENUKHAPAHAR, ASSAM	7.2	2.1	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
1527	07-08-2023	RIVER BHOGDOI AT JORHAT , ASSAM	6.5	2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1528	01-08-2023	RIVER BHARALU AT GUWAHATI, ASSAM	0.8	32.6	2800	4200	DO (Not Satisfied) BOD (Not Satisfied) FC (Not Satisfied) TC (Satisfied)	Not Satisfactory
1530	03-08-2023	RIVER DIGBOI AT LAKHIPATHE, RESERVE FOREST, DIGBOI, ASSAM	4	3.3	730	1500	DO (Not Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1531	23-08-2023	RIVER MORA BHARALI AT TEZPUR, ASSAM	5	3.1	720	1500	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
2058	21-08-2023	RIVER DISANG AT DILLIGHAT, DIBRUGARH DIST., ASSAM	7.9	2.2	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2059	01-08-2023	RIVER KOLONG AT MARIGAON, ASSAM	5.4	2.3	910	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2060	28-08-2023	RIVER MANAS AT NH-31 CROSSING, BARPETA DISTRICT, ASSAM	5.2	2.2	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2061	03-08-2023	RIVER KHARSANG B/C WITH BURIDIHING NEAR KHARSANG (ASSAM-ARUNANCHAL BORDER), ASSAM	6.9	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2062	21-08-2023	RIVER BURHIDIHING NEAR DULIAJAN AT D/S, TINSUKIA, ASSAM	7.9	2.3	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2063	07-08-2023	RIVER JIA BHARALI AT BISWANATH CHARALI, SONITPUR	6.8	2.3	720	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2064	21-08-2023	RIVER BRAHMAPUTRA AT CHANDRAPUR, GUWAHATI, ASSAM	6.9	2.4	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
2065	01-08-2023	RIVER PAGLDIA NEAR NALBARI TOWN, DIST. NALBARI, ASSAM	6.5	2.4	1500	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2066	28-08-2023	RIVER BRAHMAPUTRA AT DHUBRI, ASSAM	5.6	2.2	910	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2067	01-08-2023	RIVER BRAHMPUTRA AT SUALKUCHI, DIST. KAMRUP, ASSAM	6.5	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2068	03-08-2023	RIVER KATHAKAL U/S AT MATIJURI, DIST. HAILAKANDI, ASSAM	5.4	2.3	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2069	111-118-71173	RIVER BRAHMPUTRA NEAR WATER INTAKE POINT AT KACHARIGHAT, PANBAZAR, GUWAHATI, ASSAM	5.8	2.3	920	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2228	09-08-2023	GELA BEEL AT DERGAON, ASSAM	5.4	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2229	03-08-2023	RIVER KUNDLI AT KUNDLI/ SAPAKHOWA, SADIA, ASSAM	5.3	2.1	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2230	21-08-2023	RIVER BURHIDIHING AT DULIAJAN (INTAKE POINT OF OIL INDIA LTD.), ASSAM	7.7	2.4	930	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2231	09-08-2023	RIVER DIKHOW AT DIKHOW BRIDGE SIVASAGAR, ASSAM	6.1	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2232	09-08-2023	RIVER KOHORA AT N.H. CROSSING, KOHORA, ASSAM (BRAHMAPUTRA)	7.7	2.4	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2233	07-08-2023	RIVER BOGINADI NEAR BRIDGE NH-52, LAKHIMPUR, ASSAM	5.8	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
2234	07-08-2023	RIVER RANGA NADI D/S OF HYDEL PROJECT, ASSAM	5.4	2.2	300	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2235	24-08-2023	RIVER PANCHNOI AT NH-52 CROSSING, ORANG, ASSAM	5.8	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2236	23-08-2023	RIVER KAPILI AT DHARMTUL BRIDGE, NH-31, MORIGAON, ASSAM	9.2	2.3	610	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2237	23-08-2023	RIVER KOLONG AT U/S OF ANANDARAM DEKIAL PHUKAN BRIDGE, NAGAON, ASSAM	5.8	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2238	28-08-2023	RIVER BEKI AT NH-37 CROSSING AT BARPETA ROAD, ASSAM	5.5	2.3	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2239	28-08-2023	RIVER SANKOSH DHUBRI, ASSAM	5.3	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2240	23-08-2023	RIVER BARAK AT D/S OF SILCHAR, ASSAM	5.6	2.6	930	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2241	23-08-2023	RIVER SONAI AT SONAI, ASSAM	5.4	2.3	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2242	03-08-2023	RIVER KUSHIARA AT KARIMGANJ, ASSAM	6	2.5	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3759	07-08-2023	RIVER DIKRONG NEAR BRIDGE AT NH-52, BANDARDEWA	6	2.2	720	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3760	07-08-2023	RIVER BAROI NEAR BRIDGE AT NH-52, BISWANATH DISTRICT	5.3	2.3	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
3763	24-08-2023	RIVER GABHARU NEAR BRIDGE AT NH-52, NEAR TUMIUKI, SONITPUR	6	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3764	24-08-2023	RIVER DHANSIRI NEAR BRIDGE AT NH-15, DHANSIRI BHALUKMARI JUNGLE, UDALGURI	6.2	2.2	600	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3765	24-08-2023	RIVER BEGA MG ROAD, MANGALDOI	5.5	3.2	920	2800	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
3767	24-08-2023	RIVER NUWA NOI NEAR BRIDGE OVER BOINAOJA PARA, MANGALDOI	5.4	2.5	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3768	07-08-2023	RIVER KAKODONGA AT NH-37 CROSSING	5.8	2.2	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3769	07-08-2023	RIVER BHOGDOI (PUJADUBI GHAT) INTAKE POINT OF URBAN WATER SUPPLY, JORHAT	6.2	2.6	360	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3773	16-08-2023	RIVER TOWKAK AT SONARI	6	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3774	16-08-2023	RIVER SUFFRY AT MAIBELLA	5.5	2	300	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3776	22-08-2023	RIVER DIKHOW AT NAGINI MORA (INTER-STATE BOUNDARIES, ASSAM-NAGALAND)	6.9	2	730	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3777	09-08-2023	RIVER DORIKA NEAR MSW DUMPING SITE, SIVASAGAR	5.6	2.2	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3778	09-08-2023	RIVER DIKHOW AT DIKHOWMUKH CONFLUENCE WITH BRAHAMPUTRA	6.4	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
3780	21-08-2023	RIVER SESSA NEAR SESSA TINIALI, NH BRIDGE, DIBRUGARH	6	2.3	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3781	28-08-2023	RIVER BRAHAMPUTRA AT BOGIBEEL BRIDGE, BOGIBEEL, DIBRUGARH	5	2.4	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3784	03-08-2023	RIVER TINGRAI NEAR TINSUKIA MSW DUMPING SITE, ITAKHOLA	6.1	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3786	28-08-2023	RIVER GAI NADI AT SOMARAJAN, DHEMAJI	6.9	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3788	28-08-2023	RIVER JIADHAL KUMOTIYA RIVER NEAR JIADHAL BRIDGE, DHEMAJI	5.8	2.3	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3791	09-08-2023	RIVER KALIANI NEAR KANAIGHAT BRIDGE, KANAIGHAT	7.9	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3792	09-08-2023	RIVER DHANSIRI AT JAHAIGHAT	6.4	2.3	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3796	03-08-2023	RIVER KUJI (NEAR NEW BOGAGIGAON) NEAR WATER INTAKE POINT FOR NF RAILWAY	5.4	2.4	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3797	28-08-2023	RIVER MANAS (SANTOSHPUR) NEAR LENGTISINGA	5.3	2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3799	01-08-2023	RIVER KILLING IN MORIGAON DISTRICT	5.2	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3803	23-08-2023	RIVER MADHURA AT MADHURAGHAT, CACHAR	5.4	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
3807	24-08-2023	RIVER DIGARU AT NH CROSSING	6.5	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3810	22-08-2023	RIVER KULSI AT CHAYGAON NEAR NH37 CROSSING	7.4	2.6	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3811	09-08-2023	RIVER PUTHIMARI NEAR PUTHIMARI CHOWK AT NH CROSSING	7.4	2.5	730	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4004	07-08-2023	RIVER BRAHAMPUTRA AT BISWANATH GHAT	7.2	2.4	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4005	09-08-2023	RIVER DISANG AT NH CROSSING	6	2.5	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4011	07-08-2023	RIVER TOCKLAI NEAR BRIDGE AT JORHAT	5	2.5	730	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4012	03-08-2023	RIVER TUNIA AT D/S BRPL	5.1	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4329	23-08-2023	RIVER LARSING NEAR LOCL DEPO AT MOINARBOND	5.2	2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4331	03-08-2023	RIVER DHATESHWARI D/S OF HAILAKANDI	5.7	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4332	09-08-2023	RIVER DEMOW AT DEMOW TOWN	5.5	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4336	22-08-2023	RIVER BORSILA AT BORSILA, DEOPANI, NAMTI	6.9	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
4341	09-08-2023	RIVER BARNADI NEAR BRIDGE, NH-52, DUMUNICHOWKI KAMRUP	6.7	2.2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4342	09-08-2023	RIVER BARALIA (NEAR CHATPUJA GHAT) RANGIA, KAMRUP	7	2.3	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4343	01-08-2023	RIVER BURALIA (NEAR BRIDGE ALONG NH-31) NALBARI	6	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4344	01-08-2023	RIVER TIHU (NEAR BRIDGE ALONG NH-31) TIHU, NALBARI	6.6	2	930	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4345	22-08-2023	RIVER SINGRA (NEAR BRIDGE ALONG NH-37) BOKO, KAMRUP	5.5	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5135	28-08-2023	RIVER AIE NEAR RAKHALDUBI DIST., BONGAIGAON, ASSAM	5.4	2.1	610	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5138	03-08-2023	RIVER, TUNIA U/S BRPL, DHALIGAON, DIST. CHIRANG, ASSAM	5.4	2	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5139	23-08-2023	RIVER JAMUNA AT DOBOKA NEAR BRIDGE, DIST. HOJAI	5.7	2.1	940	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5140	21-08-2023	RIVER BONDANJAN, SLUICE GATE, BIRKUCHI NARENGI TINIALI, KHARGHULI, NO. 2	5	2.2	1900	3400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5141	01-08-2023	RIVER BASISTHA BASISTHA CHARIALI, NUTAN BAZAAR, GUWAHATI	5.3	2.2	1500	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5142	01-08-2023	RIVER PAMOHI GACHUK, PAMOHI ROAD, GUWAHATI	5	2	1400	2700	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Sampling	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Date	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
5599	28-08-2023	RIVER GADADHAR AT GOLKGANJ BRIDGE	5.5	2.2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5600	22-08-2023	RIVER NAMDANG NEAR BRIDGE AT HATI PATTY GELEKY	5.8	2.3	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5601	22-08-2023	RIVER NAMDANG AT KALUGAON	6.1	2.1	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5602	23-08-2023	RIVER KAPILI AT KHERONI GHAT NEAR BRIDGE, WEST KARBI ANGLONG , KHERONI	8	2.4	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5603	23-08-2023	RIVER DALOO AT DALOO, CACHAR	5.5	2.6	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5604	28-08-2023	RIVER EGO (SIMEN) NEAR SIMENCHAPORI BRIDGE,DHEMAJI	7.6	2	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5605	22-08-2023	RIVER DISANG AT NANGALMARA GHAT	7.1	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5606	16-08-2023	RIVER DIKHOW AT SIMALUGURI	6.8	2.3	730	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5607	01-08-2023	RIVER THIU AT D/S OF INDUSTRIAL AREA NEAR HELOCHAPARA SHIVA TEMPLE	5.1	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5608	22-08-2023	RIVER KULSI AT KUKURMARA	6.3	2.3	940	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5609	03-08-2023	RIVER TUNIA AT NEW BONGAIGAON RAILWAY STATION	5.1	2.5	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Camplina	Station Name	DO	BOD	Fecal Coliform	Total Coliform		Final
Code	Sampling Date	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
5610	03-08-2023	RIVER BRAHMAPUTRA AT MATIA (BAHATI GHAT)	5.5	2	1100	2700	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5611	03-08-2023	RIVER MORNOI AT MORNOI GHAT	5.3	2.2	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5612	03-08-2023	RIVER BRAHMAPUTRA NEWR DHOLA SADIA BRIDGE	6	2.3	1100	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5613	03-08-2023	RIVER DOOMDOOMA AT D/S OF DOOMDOOMA TOWN AT HANSARA	5.1	2.2	1500	3500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5614	24-08-2023	RIVER BEGA AT D/S OF MANGALDOI TOWN	5.6	3.2	1100	2700	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5615	03-08-2023	RIVER GHOGRA NEAR ITI, SRIKONA MAIN BLOCK	5.5	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5616	03-08-2023	RIVER TUNIA AT NH NEAR BGR	5.1	2.3	930	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory