III -	. 1
9	. (
	-

STN	Sampling	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
1030	03-01-2023	RIVER BRAHMAPUTRA AT DIBRUGARH, ASSAM	PCBA	5.2	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1031	03-01-2023	RIVER BRAHMAPUTRA AT PANDU, ASSAM	PCBA	6.5	2.6	940	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1258	02-01-2023	RIVER JHANJI AT N.H. CROSSING JORHAT, ASSAM	PCBA	8	2.3	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1259	09-01-2023	RIVER DHANSIRI AT GOLAGHAT, ASSAM	PCBA	7.1	2.4	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1261	03-01-2023	RIVER SUBANSIRI AT GEREKAMUKH (BEFORE CONFL. WITH BRAH.), ASSAM	PCBA	6.3	2.4	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1262	02-01-2023	RIVER BRAHMAPUTRA AT NIMATIGHAT, ASSAM	PCBA	7.9	2.3	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1298	06-01-2023	RIVER DISANG AT GUNDAMGHAT, ASSAM	PCBA	6.9	2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1299	03-01-2023	RIVER BRAHMAPUTRA AT JOGIJHOGA NEAR BRIDGE, ASSAM	PCBA	6.3	2.1	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1422	03-01-2023	RIVER BURHIDIHING AT MARGHERITA, ASSAM	PCBA	6.3	2.3	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1423	19-01-2023	RIVER BARAK AT PANCHAGRAM , ASSAM	PCBA	6.1	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1526	20-01-2023	RIVER BRAHMAPUTRA RIVER AT DHENUKHAPAHAR, ASSAM	PCBA	7.3	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory





STN		Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
1527	02-01-2023	RIVER BHOGDOI AT JORHAT , ASSAM	PCBA	7.3	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1528	03-01-2023	RIVER BHARALU AT GUWAHATI, ASSAM	PCBA	0.3(BDL)	37.9	2900	4400	DO (Not Satisfied) BOD (Not Satisfied) FC (Not Satisfied) TC (Satisfied)	Not Satisfactory
1530	03-01-2023	RIVER DIGBOI AT LAKHIPATHER, RESERVE FOREST, DIGBOI	PCBA	3.1	3.4	730	1500	DO (Not Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1531	20-01-2023	RIVER MORA BHARALI AT TEZPUR, ASSAM	PCBA	4.5	3.1	620	1300	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
2058	20-01-2023	RIVER DISANG AT DILLIGHAT, DIBRUGARH DIST., ASSAM	PCBA	10.5	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2059	03-01-2023	RIVER KOLONG AT MARIGAON, ASSAM	PCBA	8.3	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2060	19-01-2023	MANAS RIVER AT NH-31 CROSSING, BARPETA, DISTRICT	PCBA	5.7	2.4	610	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2061	03-01-2023	RIVER KHARSANG B/C WITH BURIDIHING NEAR KHARSANG (ASSAM- ARUNANCHAL BORDER), ASSAM	PCBA	8.1	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2062	20-01-2023	RIVER BURHIDIHING NEAR DULIAJAN AT D/S, TINSUKIA,	PCBA	7.8	2.4	940	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2063	05-01-2023	RIVER JIA BHARALI NEAR BISWANATH CHARALI,	PCBA	6.8	2.2	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2064	20-01-2023	RIVER BRAHMAPUTRA AT CHANDRAPUR, GUWAHATI	PCBA	9	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2065	03-01-2023	RIVER PAGLDIA NEAR NALBARI TOWN, DIST. NALBARI, ASSAM	РСВА	6.8	2.6	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory





_	6.3
	//
	/

STN	Sampling	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
2066	19-01-2023	RIVER BRAHMAPUTRA AT DHUBRI, ASSAM	PCBA	5.6	2.1	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2067	03-01-2023	RIVER BRAHMPUTRA AT SUALKUCHI, DIST. KAMRUP	PCBA	7.3	2.7	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2068	19-01-2023	RIVER KATHAKAL U/S AT MATIJURI, DIST. HAILAKANDI	PCBA	5.3	2	940	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2069	03-01-2023	RIVER BRAHMAPUTRA NEAR WATER INTAKE PT. AT KACHARIGHAT	PCBA	6.6	2.6	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2228	09-01-2023	RIVER GELABEEL AT DERGAON, ASSAM	PCBA	8.6	2.1	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2229	09-01-2023	RIVER KUNDIL AT KUNDLI/ SAPAKHOWA, SADIA, ASSAM	PCBA	6.6	2.4	300	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2230	20-01-2023	RIVER BURHIDIHING AT DULIAJAN (INTAKE POINT OF OIL INDIA LTD.), ASSAM	PCBA	7.4	2.6	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2231	04-01-2023	RIVER DIKHOW AT DIKHOW BRIDGE SIVASAGAR, ASSAM	PCBA	7.7	2.5	360	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2232	09-01-2023	RIVER KOHORA AT N.H. CROSSING, KOHORA, ASSAM (BRAHMAPUTRA)	PCBA	3.7	2.4	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2233	05-01-2023	RIVER BOGINADI NEAR BRIDGE NH-52, LAKHIMPUR, ASSAM	PCBA	6.3	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2234	05-01-2023	RIVER RANGA NADI D/S OF HYDEL PROJECT, ASSAM	PCBA	5.6	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2235	20-01-2023	RIVER PANCHNAI AT NH-52 CROSSING, ORANG, ASSAM	PCBA	6.2	2.7	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory





			-/-	
	- 1	/		
	13	1		
	1	,	/	
- 1	1			
- 1		\smile		

STN		Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
2236	19-01-2023	RIVER KAPILI AT DHARMTUL BRIDGE, NH-31, NAGAON	PCBA	5	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2237	19-01-2023	RIVER KOLONG AT U/S OF ADP BRIDGE, NAGAON, ASSAM	PCBA	5	2.3	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2238	19-01-2023	RIVER BEKI AT NH-37 CROSSING AT BARPETA ROAD, ASSAM	PCBA	5.6	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2239	19-01-2023	RIVER SANKOSH DHUBRI, ASSAM	PCBA	5.2	2.3	300	620	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2240	05-01-2023	RIVER BARAK AT D/S OF SILCHAR, ASSAM	PCBA	5	2.8	940	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2241	05-01-2023	RIVER SONAI AT SONAI, ASSAM	PCBA	5	2.2	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2242	19-01-2023	RIVER KUSHIARA AT KARIMGANJ, ASSAM	PCBA	5.2	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3759	05-01-2023	RIVER DIKRONG NEAR BRIDGE AT NH- 52, BANDARDEWA	PCBA	6	2.2	300	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3760	05-01-2023	RIVER BAROI NEAR BRIDGE AT NH-52, BISWANATH DISTRICT	PCBA	5.8	2.6	300	620	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3763	20-01-2023	RIVER GABHARU NEAR BRIDGE AT NH- 52, NEAR TUMIUKI, SONITPUR	PCBA	5.5	2.4	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3764	20-01-2023	RIVER DHANSIRI NEAR BRIDGE AT NH- 15, DHANSIRI, UDALGURI	PCBA	6.4	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3765	20-01-2023	RIVER BEGA MG ROAD, MANGALDOI	PCBA	5.5	3.2	720	1400	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory





STN	Campling Data	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
3767	20-01-2023	RIVER NUWA NOI NEAR BRIDGE OVER BOINAOJA PARA, MANGALDOI	PCBA	5.8	2.4	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3768	02-01-2023	RIVER KAKODONGA AT NH-37 CROSSING	PCBA	5.4	2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3769	02-01-2023	RIVER BHOGDOI INTAKE PT. OF URBAN WATER SUPPLY, JORHAT	PCBA	7.6	2.1	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3773	06-01-2023	RIVER TOWKAK AT SONARI	PCBA	7.4	2.2	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3774	06-01-2023	RIVER SUFFRY AT MAIBELLA	PCBA	6.9	2.1	300	600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3776	09-01-2023	RIVER DIKHOW AT NAGINI MORA (INTER-STATE BOUNDARIES, ASSAM- NAGALAND)	PCBA	7.5	2.1	370	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3777	04-01-2023	RIVER DORIKA NEAR MSW DUMPING SITE, SIVASAGAR	PCBA	5.8	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3778	04-01-2023	RIVER DIKHOW AT DIKHOMUKH CONFLUENCE WITH BRAHAMPUTRA	PCBA	7.9	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3780	09-01-2023	RIVER SESSA NEAR SESSA TINIALI, NH BRIDGE, DIBRUGARH	PCBA	6.8	2.4	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3781	03-01-2023	RIVER BRAHMAPUTRA AT BOGIBEEL BRIDGE, BOGIBEEL, DIBRUGARH	PCBA	6.3	2.5	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3784	09-01-2023	RIVER TINGRAI NEAR TINSUKIA MSW DUMPING SITE, ITAKHOLA	PCBA	6.3	2.1	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3786	03-01-2023	RIVER GAI NADI AT SOMARAJAN, DHEMAJI	PCBA	5.9	2.3	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory





STN	0 D-4-	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
3788	03-01-2023	RIVER JIADHAL KUMOTIYA RIVER NEAR JIADHAL BRIDGE, DHEMAJI	PCBA	6	2.5	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3791	09-01-2023	RIVER KALIANI NEAR KANAIGHAT BRIDGE, KANAIGHAT	PCBA	8.2	2.6	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3792	09-01-2023	RIVER DHANSIRI AT JAHAIGHAT	PCBA	8	2.5	720	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3796	03-01-2023	RIVER KUJIA (NEAR NEW BOGAGIGAON) NEAR WATER INTAKE POINT FOR NF RAILWAY	PCBA	6.1	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3797	19-01-2023	RIVER MANAS (SANTOSHPUR) NEAR LENGTISINGA	PCBA	5.4	2.3	620	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3799	03-01-2023	RIVER KILLING IN MORIGAON DISTRICT	PCBA	9.6	2.1	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory ⁻
3803	05-01-2023	RIVER MADHURA AT MADHURAGHAT, CACHAR	PCBA	5.1	2.9	360	900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3807	20-01-2023	RIVER DIGARU AT NH CROSSING	PCBA	6.2	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3810	19-01-2023	RIVER KULSI AT CHAYGAON NEAR NH- 37 CROSSING	PCBA	7.6	2.7	610	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3811	04-01-2023	RIVER PUTHIMARI NEAR PUTHIMARI CHOWK AT NH CROSSING	PCBA	5.7	2.6	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4004	05-01-2023	RIVER BRAHMAPUTRA AT BISWANATH GHAT	РСВА	7.3	2.5	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4005	04-01-2023	RIVER DISANG AT NH CROSSING	PCBA	6.9	2	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory





		CY
w-	-	

STN	STN Station Name		Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
4011	02-01-2023	RIVER TOCKLAI NEAR BRIDGE AT JORHAT	PCBA	6.4	2.1	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4012	03-01-2023	RIVER TUNIA AT D/S BRPL	PCBA	5.4	2.3	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4329	05-01-2023	RIVER LARSING NEAR LOCL DEPO AT MOINARBOND	PCBA	5	2.2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4331	19-01-2023	RIVER DHATESHWARI D/S OF HAILAKANDI	PCBA	4.2	2.8	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4332	04-01-2023	RIVER DEMOW AT DEMOW TOWN	PCBA	7.8	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4336	09-01-2023	RIVER BORSILA AT BORSILA, DEOPANI, NAMTI	PCBA	7.6	2.1	360	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4341	04-01-2023	RIVER BARNADI NEAR BRIDGE, NH-52, DUMUNICHOWKI KAMRUP (R)	PCBA	5.5	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4342	04-01-2023	RIVER BARALIA (NEAR CHATPUJA GHAT) RANGIA, KAMRUP (R)	PCBA	5.9	2.3	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4343	03-01-2023	RIVER BURADIA (NEAR BRIDGE ALONG NH-31) NALBARI	PCBA	9.5	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4344	03-01-2023	RIVER TIHU (NEAR BRIDGE ALONG NH- 31) TIHU, NALBARI	PCBA	8.1	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4345	19-01-2023	RIVER SINGRA (NEAR BRIDGE ALONG NH-37) BOKO, KAMRUP (R)	PCBA	8.4	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5135	19-01-2023	AIE RIVER NEAR RAKHALDUBI DIST., BONGAIGAON, ASSAM	PCBA	5.1	2.3	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



5138	03-01-2023	TUNIA RIVER, U/S BRPL, DHALIGAON, DIST. CHIRANG, ASSAM	PCBA	4.9	2.1	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5139	19-01-2023	JAMUNA RIVER AT DOBOKA NEAR BRIDGE, DIST. HOJAI	PCBA	5	2.4	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5140	20-01-2023	BONDANJAN RIVER, SLUICE GATE, BIRKUCHI NARENGI TINIALI, KHARGHULI, NO. 2	PCBA	5.3	2.3	2000	3600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5141	03-01-2023	BASISTHA RIVER, BASISTHA CHARIALI, NUTAN BAZAAR, GUWAHATI	PCBA	6	2	2000	3500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5142	03-01-2023	PAMOHI RIVER, GACHUK, PAMOHI ROAD, GUWAHATI	PCBA	4.3	2.5	2000	3500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

