

# Pollution Control Board, Assam

Bamunimaidam: Guwahati-21

Phone: 0361-2550258, 2652774; Fax: 0361-2550259

## NOTICE INVITING TENDER

NIT No. WB/G-1440/18-19/25

Dated, Guwahati the, 18th June, 2018

Sealed tenders are invited from registered & experienced contractors/ firm for the following work. Tenders will be received upto 2-30 p.m. on 07.07.2018 and will be opened on the same day at 3-00 p.m. in presence of intending tenderers or their authorized representatives. In case, the day of submission of the tender happens to be a holiday on account of Govt. notification and tender can not be received or opened; the tender shall be opened on the next working day at 3.00 p.m. for which no separate communications will be made. Other terms & conditions enclosed at **Annexure-A**.

Name of Work	Providing Infrastructure for Installation of CAAQM Station at 3 <sup>rd</sup> Floor of Pollution Control Board, Assam at Bamunimaidam, Guwahati-21
Approx. Estimated Amount	Rs. 87,949.00
Earnest Money	Rs. 2,000.00
Date of issue of tender paper	From 19.06.2018 to 30.06.2018
Last Date & time for Submission	Up to 2.30 p.m. on 07.07.2018
Date & time for Opening	At 3.00 p.m. on 07.07.2018
Time of Completion	30 (thirty) days

#### Qualifying criteria for issue of Tender Document:

- 1. The applicant should be registered contractor under State Govt./Central Govt./ Government undertaking etc.
- 2. The applicant should have GST registration.
- 3. The applicant should possess experience in execution of similar type of works of value not less than Rs. 1,10,000/- in a single work completed in any one year during last three years. in Govt./ Semi Govt. Department and Autonomous Body. (Work order and Completion certificate should be submitted at the time of issue of tender.)
- 4. Application requesting for the issue of tender paper must be accompanied by supporting documents for the qualifying criteria as stated above along with a D.D./Bankers Cheque of Rs. 500.00 (Rupees five hundred) only as cost of tender paper (non refundable) in favour of the Member Secretary, Pollution Control Board, Assam.

In case of downloaded document the above mentioned documents and amount should be submitted alongwith the tender in a separate envelope supersiding as "Qualifying documents and cost of tender paper".

The Pollution Control Board, Assam does not bind itself to accept the lowest tender and reserves itself the right to reject any or all the tenders received without assigning any reason thereof.

12

Member- Secretary

#### Copy to:

- 1. The Hon'ble Chairman, Pollution Control Board, Assam for favour of information.
- 2. Notice Board / PCBA Website.

12



ANNEXURE-A

### Other Terms & Conditions:

- 1. Rates shall be quoted in the Bill of Quantity (BOQ) furnished in **Annexure-B** in figure and words. If there are variations between the rate of figure and words, the rate quoted in words shall be considered.
- 2. All pages of the tender document shall be signed and dated at the lower right hand corner by the tenderer or by a person holding power of attorney authorizing him to sign on behalf of the tenderer before submission of the tender.
- 3. The work shall be completed within 30 (thirty) days from the date of issue of the formal Work Order.
- 4. The rates shall be inclusive of GST and all taxes, forest royalty, cess, octroy, loading & unloading and transportation etc. of all the materials to site.
- 5. The contractor shall arrange all the plants, equipments, machineries etc. required for the work to site for which no extra charges will be paid.
- 6. Any abnormal rate quoted in the tender will summarily be rejected for which no communication will be made.
- 7. The Earnest Money shall be paid in the form of Demand Draft/ Banker's cheque drawn in favour of the **Member Secretary**, **Pollution Control Board**, **Assam** payable at Guwahati.
- 8. Defect liability period: 6 (six) months from the date of completion.
- 9. 10% of the Bill Value will be retained as Security Deposit and will be released after 6 months from the date of completion of work. Any damage or defect in the work during this period due to materials supplied by the contractor or bad workmanship shall have to be rectified or replaced by the contractor at his own cost or the Engineer –incharge may cause the same to be made good by other workman and deduct the expenses from the security deposit. No interest will be paid on security deposit.
- 10. Documents to be enclosed:
  - a) Contractor registration certificate copy.
  - b) Experience certificate alongwith work order copy.
  - c) GST Registration certificate.
  - d) PAN card copy.
- 11. Any tender submitted without the documents mentioned above will be considered as incomplete and the tender will be rejected for which no communication will be made.
- 12. The contractor will arrange for water and electricity of his own. However, the Board may provide electricity on the request of the contractor and under the terms and condition fixed by the Board.
- 13. All legal disputes will be subjected to jurisdiction of Guwahati Court only.

12

Member Secretary
Pollution Control Board, Assam



## Pollution Control Board, Assam Bamunimaidam : Guwahati-21

Phone: 0361-2550258, 2652774; Fax: 0361-2550259

Date:

TENDER PAPER for the work "Providing Infrastructure for Installation of CAAQM Station at 3<sup>rd</sup> Floor of Pollution Control Board, Assam at Bamunimaidam, Guwahati-21" vide NIT No. WB/G-1440/18-19/25 dtd.18.06.2018 issued to:

Shri / M/s	
Address:	

Member Secretary

Name of Work: Providing Infrastructure for Installation of CAAQM Station at 3rd Floor of Pollution Control Board, Assam at Bamunimaidam, Guwahati-21

	Amount (Rs.)					·
Rate (Rs.)	Rate in Words			The state of the s		
	Rate in Figure					
	Qty	2.10	2.50	2.80		2.7
	Unit	m2	m2	m2		m2
	Description of item	Dismantling and removing the existing door and window frame (chowkath) both wooden and steel of different sizes without damaging the walls and removing the frame and necessary repairs to the edges of the walls as directed for all levels.			Providing, fitting and fixing anodised aluminium sliding windows and ventilators of standard sections of approved brand without horizontal glazing bars, joints mitred and welded (manufactured to relevant IS specifications) and providing and fixing handles, angle cleat, rubber gasket, roller, bolting device, locking arrangements, screws etc as required complete as specified and directed for all levels.	Providing, fitting and fixing anodised aluminuim framed glazed doors with anodised aluminium frame made of 100mm x 45mm x 2.5mm section of approved brand with door style of size 88mm x 45mm x 2.5mm, top rails 50mm x 45mm x 2mm and bottom rails 100mm x 45mm x 2.5mm fitted with glazing clip, special type rubber gasket complete including hydraulic floor spring, pivot, tower bolt in each leaf, aluminium door handle, lock, angles, cleat etc complete as specified and directed by the department at all levels.
31.04	No.	JI e			2.1.2	11.2.1
ū	No.	-			0	n

	Amount (Rs.)						
Rate (Rs.)	Rate in Words						
TO THE TAX	Rate in Figure						
	ş Ş		65.89	18.04	6	τ <u>ο</u>	<u></u>
	Chit		m2	m2	5		fotal (Rs.)
Description of item		Wall painting (one coat) with acrylic emulsion paint approved brand and manufacture (Asian paint/ Berger paint/ ICl paint/ J & N paint/ Nerolac) on old wall surface to give an even shade after throughly brushing the surfaces free from mortar droppings and other foreign matter and sand papered smooth.  (a). Acrylic Emulsion Paint approved brand and manufacture (Asian paint/ Berger paint/ ICl paint/ J & Norder)	Extra over item no 13.4.3 above for every subsequent coat of wall painting with acrylic emulsion paint of approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac).	Extra over item no 13.4.3 above for painting with acrylic emulsion paint of approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) on celling and on sloping roof.  (i) Acrylic Emulsion paint of approved brand & manufacture (Berger paint)	Providing Antiskid Tiles of approved quality size, shape not less than 8mm on floor, skirting over a cement mortar bed 15mm thick of 1:3 (1 cement: 3 coarse sand) approved make fix with Fix-A-Tile (Choksey/Sika/Pedelite/Rouf)/ white cement complete at all level as specified and directed.  (A) CERAMIC  iii)Executive range-2 (Sizes 600 mm x 600mm and above) a) Deluxe -VC	Providing 50mm dia 5 holes on the roof and side wall of the room for sampling pipes installation and forpassing the exhaust gases outlet tubing as directed by the Deptt. including necessary breaking and repair & sealing of holes for all levels.	TC
SOR Item	No.	13.4.3	13.4.4	13.4.6	5.7.1.1	Non Schedule	
S.	No.	4	ro	Q	^	Φ	