

POLLUTION CONTROL BOARD: ASSAM
BAMUNIMAIDAM, GUWAHATI-781021

No. WB/G-713/12-13/143

Dated Guwahati, the 30th Sep 2021

SHORT QUOTATION NOTICE

Pollution Control Board, Assam has invited Sealed Quotations from the reputed Vendor/ Supplier/ Authorized Dealers for supply of the Branded Air Conditioner (Split AC) to the Pollution Control Board, Assam, Bamunimaidam, Guwahati-21. The details of the items and specifications (**Annexure-A**) along with terms & conditions may be obtained from the office during office hour.

The quotation will be received upto 3.00 PM of 7th Oct., 2021 and will be opened on the same date and time in presence of the quotationer or their representative who would like to be present.

Memo No. WB/G-713/12-13/143-A/ Dated Guwahati, the 30th Sep 2021
Copy to: *717*
✓ 1) Notice Board/Website of PCBA.
2) Concerned file.

Shantanu Das
Member-Secretary, i/c
m

SPECIFICATIONS AND OTHER TERMS & CONDITIONS

SI No.	Specifications
1	Split AC 1.5 ton capacity
2	Energy Rating:3 Star
3	Split Ac with inverter compressor. Variable speed compressor which adjusts power depending on heat load.
4	Copper Condenser Coil.
5	Refrigerant Gas: R32. No Ozone depletion potential and low global warming potential.
6	Warranty: Minimum 1 years on the products, as a whole
7	Additional Warranty: 10 years on compressor only
8	Preferred Brand:- Godrej, Blue Star, Samsung etc

Terms & conditions:

1. Authorisation Certificate of Dealers/Retailer, Trade License, PAN Card, GST Registration Certificate, Product Leaflet should be submitted with the quotation (Signed by Bidder).
2. Acceptance letter of Board's terms and conditions should be enclosed with the quotation.
3. Validity of the Rates: The Rates shall be valid for a period of 6 months or above from the date of issue of formal work order.
4. Rate shall be quoted in figure and words. If there are variations between the rate of figure and words the rate quoted in words shall be considered.
5. The Rates, Taxes (GST) and Installation Charge etc. of all items to supply at Head Office, Pollution Control Board, Assam, Bamunuimaidam, Guwahati-21 should be shown in details with break up.
6. The supply and installation shall be completed within 1 (one) week from the date of issue of the formal work order.
7. All pages of the Quotation Document shall be signed and dated at the lower right hand corner by the Quotationer or by a person holding power of attorney authorizing him to sign on behalf of the Quotationer before submission of the quotation.
8. Any abnormal rate quoted in the quotation will summarily be rejected for which no communication will be made.
9. Any Quotation submitted without the documents mentioned above will be considered as incomplete and the Quotation will be rejected for which no communication will be made.
10. All legal disputes will be subjected to jurisdiction of Guwahati Court only.
11. The Board does not bind itself to accept the lowest quotation and reserves the right to reject any or all the quotations received without assigning any reason thereof.
12. Payment will be made after successful installation of the AC in PCBA, Head Office.

Maintenance

Shantanu Deka
Member Secretary (i/c)