



Pollution Control Board, Assam  
Bamunimaidam, Guwahati-21.

**SHORT NOTICE INVITING QUOTATION.**

NO.WB/G-1268/16-17/82

Dated Guwahati, the 13<sup>th</sup> Aug, 2020.

Sealed quotation are invited from the Authorised dealer for supplying one (1) no 1.5 ton Split AC to Pollution Control Board, Assam Bamunimaidam, Guwahati-21. Quotation will be received up to 2:30 PM on 25/08/2020 and will be opened on the same day at 3:00 PM in presence of Quotationer or their authorize representatives. In case the day of submission of the quotations happens to be a holiday on account of Govt. Notification, the tenders shall be received and opened on the next working day at 3.30 PM for which no separate communication will be made. Other terms, conditions & Specifications are as per **Appendix-A**

Name of Work	: Supply of 1.5 ton Split AC to Pollution Control Board, Assam Bamunimaidam, Guwahati-21.
Last Date & Time for Submission	: 25/08/2020 up to 2:30 PM.
Date & Time for opening	: 25/08/2020 at 3:00 PM.
Time of Completion	: 1 week.

*Sdr*  
**Member Secretary**

Memo. NO.WB/G-1268/16-17/82

Dated Guwahati, the 13<sup>th</sup> Aug, 2020.

Copy to: *323*

1. P.A to the Chairman, PCBA for kind appraisal of the Hon'ble Chairman.
2. HoIT, Head Office, PCBA, for information and necessary action.
3. The Asstt, Manager (F & A), Head Office, PCBA for information & necessary action.
- ✓ 4. Website ( [www.pcbassam.org](http://www.pcbassam.org))/Notice Board of the Board's Head Office ,PCBA.

*[Signature]*  
**Member Secretary.**

SPECIFICATIONS AND OTHER TERMS & CONDITIONS

Sl. No	Specifications
1	Split AC 1.5 ton capacity
2	Energy Rating:3 star
3	Split AC with inverter compressor. Variable speed compressor which adjusts power depending on heat load.
4	Copper condenser Coil.
5	Refrigerant gas: R32.No ozone depletion potential and low global warming potential.
6	Warranty: minimum 1 years on the product, as a wholl
7	Additional Warranty: 10 years on compressor only.
8	Preferred Brand:-Godrej, Blue Star, Carrier, Samsung etc.

Terms & conditions:

1. Rate shall be quoted in figure and words. If there are variations between the rate of figure and words the rate quoted in words shall be considered.
2. All pages of the quotation document shall be signed and dated at the lower right hand corner by the Quotationer or by a person holding power of attorney authorizing him to sign on behalf of the Quotationer before submission of the quotation.
3. The supply and installation shall be completed within 1(one) week from the date of issue of the formal work order.
4. The rates, taxes (GST) and loading & unloading and transportation, installation charge, etc. of all items to supply at Head Office, Pollution Control Board, Assam, Bamunimaidam, Guwahati-21 should be shown in details with break up.
5. Any abnormal rate quoted in the quotation will summarily be rejected for which no communication will be made.
6. The certification of dealers/Retailer, Trade license, pan card No., sales tax clearance (Teen No.) and income tax clearance certificate, GST registration certificate should be submitted with the quotation (attested Xerox copies).
7. A warrantee letter should be enclosed with the quotation and Free Service period
8. Any Quotation submitted without the documents mentioned above will be considered as incomplete and the Quotation will be rejected for which no communication will be made.
9. All legal disputes will be subjected to jurisdiction of Guwahati Court only.
10. The Board does not bind itself to accept the lowest quotation and reserves the right to reject any or all the quotations received without assigning any reason thereof.
11. Payment will be made by cheque within 15 (fifteen) days after completion of installation and submission of Bill whichever is later.



Member Secretary.

